



Laparoscopy

Access, Visualization & Instrumentation

Our Vision

"True to our vision **INNOVATING TRADITION**, it has always been our goal to not only provide our customers and healthcare professionals with an industry-leading value proposition through continuous innovation in our products and processes.


Ackermann

We believe that it is equally important to not lose sight of our roots and to preserve the craftsmanship that has been perfected over generations as an established family business. This enables us to maintain a productive and sustainable home for our staff and to improve clinical outcomes every single day in over 100 countries around the world."

Peter Grassl, CEO

+ 20k SKUs

As **Full-Range-System Manufacturer** we are able to provide you with a coherent product portfolio - from endoscopy to ligation, from implantology to general surgery.



Capabilities

+ Manufacturing

Surgical Instruments, Units, Implants, Optics

+ Regulatory

ISO 13485:2016, US FDA, CFDA, ANVISA,
COFEPRIS

+ Service

+ R&D



Global Player

Sales subsidiaries located in
Greece, India, USA & Mexico



Serving over
100
Countries

More than
80
Employees



3
Manufacturing
Sites

400
Strategic
Partners



Table of Contents

Product Range at a Glance



Laparoscopy Sets

Basic Lap Set	p. 6
Lap Chole Set	p. 8
Bariatric Lap Set	p. 10
Urology Lap Set	p. 14
Gynaecology Lap Set	p. 16
Pediatric Lap Set	p. 20
Miniature Lap Set	p. 22

Access Instrumentation

Trocars

Silicone Valve Trocars	p. 26
Multifunctional Trocars	p. 28
Hasson Trocars	p. 30
Miniature Trocars	p. 32
Thoracoscopy/ Single Port Trocars	p. 34
Custom Trocar Configuration	p. 36

Obturators

Safety Obturators	p. 38
Minimal Trauma Obturators	p. 40
Standard Obturators	p. 42
Miniature Obturators	p. 44

Fascia Closing Instruments

Fascia Closing Suture Passer	p. 47
Fascia Closing Cannula	p. 47

Accessories

Reducers	p. 49
Dilators	p. 50
Verres Needles	p. 50
Compatibility: Obturators, Dilators, Reducers	p. 52

Visualization

Laparoscopes

4k UHD Laparoscopes	p. 57
FullHD Laparoscopes	p. 57
Standard Laparoscopes	p. 58
Laparoscopes with Working Channel	p. 60

Accessories

Fiber Light Cables	p. 63
--------------------	-------

Light Cable Adapters	p. 64	Retractors	p. 206
Light Cable Testers	p. 64	Other Speciality Instruments	p. 211
Monopolar & Bipolar Electrodes		Connecting Cables	
Ceramic Tip Monopolar Electrodes	p. 68	Monopolar Cables	p. 216
Standard Monopolar Electrodes	p. 70	Bipolar Cables	p. 216
Suction/Irrigation Monopolar Electrodes	p. 76		
Standard Bipolar Electrodes	p. 80	Lap Containers	
		Lap Containers & Accessories	p. 218
Suction/ Irrigation Accessories			
High-Flow Suction/ Irrigation Line	p. 84		
Pistol Handle Suction/ Irrigation Line	p. 86		
Interchangeable Suction/ Irrigation Line	p. 88		
Laparoscopic Monopolar Instrument Lines			
Reusable			
(Miniature) XPress Lock™ Handles & Sheaths	p. 94		
(Miniature) Ceramix Cut™ Scissors	p. 96		
System CS™ Handles & Sheaths	p. 100		
Inserts for XPress Lock™ & System CS™	p. 106		
Inserts for Miniature XPress Lock™	p. 147		
Hybrid			
Ti Line™ Handles & Tips	p. 162		
(Miniature) Future Lap™ Handles & Inserts	p. 166		
Single-use			
Single-use Instruments	p. 170		
Laparoscopic Bipolar Instrument Lines			
(Miniature) Premium Bipolar Instrument Line	p. 174		
Standard Bipolar Instrument Line	p. 180		
Endoscopic Clip Appliers & Removers			
Endo Europclip™ Appliers	p. 186		
Endo VeSeal™ Appliers	p. 188		
Endo Polymer Clip Appliers & Removers	p. 190		
Speciality Instruments			
System ADG™ & DG™	p. 194		
(Miniature) Needleholders	p. 198		



Basic Lap Set

Ordering Information and Recommendations

1x 4k UHD Laparoscope, 0°, Ø 10 mm, 330 mm	# 11-1130UHD
1x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3x Threaded silicone valve trocar, demount., carbon fiber, Ø 5.5 mm	# 10-1115THC
3x Pyramidal / triangular tip obturator, Ø 5.5 mm	# 10-1034
2x Threaded silicone valve trocar, demount., carbon fiber, Ø 11 mm	# 10-1116THC
2x Pyramidal / triangular tip obturator, Ø 11 mm	# 10-1044
1x Slide-on reducer, Ø 11 / 12.5 mm to Ø 5.5 mm	# 10-1021-201
1x Reduction sleeve, Ø 11 mm to Ø 5.5 mm	# 10-1075
1x Endoscopic clinch, Ø 5 mm, 330 mm (insert)	# 13-1323XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Maryland dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1318XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Cross-serrated grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1354XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Johan grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1312XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP



1x Hook scissors, Ø 5 mm, 330 mm (insert)	# 13-1431XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 330 mm (insert)	# 13-1461CI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Bipolar Maryland grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1701I
1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm	# 13-1700R
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Bipolar fenestrated grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1702I
1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm	# 13-1700R
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Bipolar scissors, Ø 5 mm, 330 mm (insert)	# 13-1703I
1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm	# 13-1700R
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Trumpet valve handle incl. Ø 5 mm and Ø 10 mm high-flow tubes	# 11-1235
1x Verres needle, Ø 2 mm, 120 mm	# 10-1105
1x L-Hook electrode, monopolar, Ø 5 mm, 330 mm	# 11-1175
1x Fascia closing suture passer with stop, Ø 3 mm, 180mm	# 10-1114
1x Axial needleholder, right curved jaws, angled handle, Ø 5 mm	# 13-1593P
1x Axial needleholder, left curved jaws, angled handle, Ø 5 mm	# 13-1594P
1x Applicator for medium-large Europclips™, Ø 10 mm, 330 mm	# 13-1615AS
1x Medium-large Europclips™, 120 clips/ per box	# AI74CML6
1x Monopolar cable, Ackermann / Erbe T1/ Martin ¹ /Berchthold ¹ , 3 m	# 11-1260
1x Bipolar cable, EU flat plug, 2-banana, 3 m	# 13-1641



Lap Chole Set

Ordering Information and Recommendations

1x 4k UHD Laparoscope, 30°, Ø 10 mm, 330 mm	# 11-1135UHD
1x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3x Threaded silicone valve trocar, demount., carbon fiber, Ø 5.5 mm	# 10-1115THC
1x Pyramidal / triangular tip obturator, Ø 5.5 mm	# 10-1034
1x Threaded silicone valve trocar, demount., carbon fiber, Ø 11 mm	# 10-1116THC
1x Pyramidal / triangular tip obturator, Ø 11 mm	# 10-1044
1x Slide-on reducer, Ø 11 / 12.5 mm to Ø 5.5 mm	# 10-1021-201
1x Maryland dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1318XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Maxi fundus grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1302XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
2x Wave grasping forceps DG, double-act., Ø 5 mm, 330 mm (insert)	# 13-1381XPI
2x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
2x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Wave grasping forceps DG, single-act., Ø 5 mm, 330 mm (insert)	# 13-1375XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Mixer clamp, Ø 5 mm, 330 mm (insert)	# 13-1376XPI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle with universal ratchet	# 13-1368XP



1x Retraction forceps, Ø 5 mm, 330 mm (insert) # 13-1380XPI
 1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
 1x XPress Lock™ handle with universal ratchet # 13-1368XP

1x Hook scissors, Ø 5 mm, 330 mm (insert) # 13-1431XPI
 1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
 1x XPress Lock™ handle w/o ratchet # 13-1367XP

1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 330 mm (insert) # 13-1461CI
 1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
 1x XPress Lock™ handle w/o ratchet # 13-1367XP

1x Trumpet valve handle incl. Ø 5 mm and Ø 10 mm high-flow tubes # 11-1235

1x Verres needle, Ø 2 mm, 120 mm # 10-1105


1x Graduated palpation probe, Ø 5 mm, 330 mm # 10-1110

1x Spatula electrode, monopolar, Ø 5 mm, 330 mm # 11-1170

1x L-Hook electrode, monopolar, Ø 5 mm, 330 mm # 11-1175

1x Fascia closing suture passer with stop, Ø 3 mm, 180mm # 10-1114

1x Monopolar cable, Ackermann / Erbe T¹ / Martin¹ / Berchthold¹, 3 m # 11-1260



Bariatric Lap Set

Ordering Information and Recommendations

1x 4k UHD Laparoscope, 0°, Ø 10 mm, 450 mm	# 11-1130-45UHD
1x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3x Plain multifunct. trocar, demount., Ø 5.5 mm, 150 mm	# 10-1002-150
1x Pyramidal / triangular tip obturator, Ø 5.5 mm, 150 mm	# 10-1034-150
1x Plain multifunct. trocar, demount., Ø 11 mm, 150 mm	# 10-1012-150
1x Pyramidal / triangular tip obturator, Ø 11 mm, 150 mm	# 10-1044-150
1x Slide-on reducer, Ø 11 / 12.5 mm to Ø 5.5 mm	# 10-1021-201
1x Reduction sleeve, Ø 11 mm to Ø 5.5 mm	# 10-1075
1x Duval grasping forceps, Ø 10 mm, 450 mm (insert)	# 13-1580XPI-45
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 450 mm	# 13-1357XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x US Babcock grasping forceps, Ø 10 mm, 450 mm (insert)	# 13-1544XPI-45
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 450 mm	# 13-1357XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Johan grasping forceps, Ø 5 mm, 450 mm (insert)	# 13-1312XPI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Maryland grasping forceps, Ø 10 mm, 450 mm (insert)	# 13-1411XPI-45
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 450 mm	# 13-1357XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP



1x Maxi fundus grasping forceps, Ø 5 mm, 450 mm (insert)	# 13-1302XPI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Endoscopic clinch, Ø 5 mm, 450 mm (insert)	# 13-1323XPI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Hook scissors, Ø 5 mm, 450 mm (insert)	# 13-1431XPI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 450 mm (insert)	# 13-1461CI-45
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 450 mm	# 13-1356XP-45
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Bipolar Maryland grasping forceps, Ø 5 mm, 450 mm (insert)	# 13-1701I-45
1x Sheath for bipolar detachable instruments, Ø 5 mm, 450 mm	# 13-1700R-45
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Bipolar fenestrated grasping forceps, Ø 5 mm, 450 mm (insert)	# 13-1702I-45
1x Sheath for bipolar detachable instruments, Ø 5 mm, 450 mm	# 13-1700R-45
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Bipolar scissors, Ø 5 mm, 450 mm (insert)	# 13-1703I-45
1x Sheath for bipolar detachable instruments, Ø 5 mm, 450 mm	# 13-1700R-45
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Trumpet valve handle	# 11-1235-102
1x High-flow tube with drillings, Ø 5 mm, 450 mm	# 11-1235-100-45
1x Verres needle, Ø 2 mm, 120 mm	# 10-1105
1x Esophageal retractor, Ø 10 mm, 330 mm	# 13-1668-10
1x Esophageal retractor, Ø 10 mm, 450 mm	# 13-1668-10-45
1x L-Hook electrode, monopolar, Ø 5 mm, 450 mm	# 11-1175-45



- 1x Fascia closing suture passer with stop, Ø 3 mm , 180mm # 10-1114
- 1x Axial needleholder, right curved, angled handle, Ø 5 mm, 450 mm # 13-1593P-45
- 1x Axial needleholder, left curved, angled handle, Ø 5 mm, 450 mm # 13-1594P-45
- 1x Applicator for medium-large Europclips™, Ø 10 mm, 330 mm # 13-1615AS
- 1x Medium-large Europclips™, 120 clips/ per box # AI74CML6
- 1x Monopolar cable, Ackermann / Erbe T¹/ Martin¹/Berchthold¹ , 3 m # 11-1260
- 1x Bipolar cable, EU flat plug, 2-banana , 3 m # 13-1641



Urology Lap Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 30°, Ø 10 mm, 330 mm	# 11-1135UHD
1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1 x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1 x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3 x Plain silicone valve trocar, demountable, carbon fiber, Ø 5.5 mm	# 10-1115
3 x Pyramidal / triangular tip obturator, Ø 5.5 mm, 150 mm	# 10-1034
2 x Plain silicone valve trocar, demountable, carbon fiber, Ø 11 mm	# 10-1116
2 x Pyramidal / triangular tip obturator, Ø 11 mm, 150 mm	# 10-1044
2 x Plain silicone valve trocar, demountable, carbon fiber, Ø 12.5 mm	# 10-1117
2 x Pyramidal / triangular tip obturator, Ø 11 mm, 150 mm	# 10-1049
2 x Flip-on reducer, Ø 11 mm to Ø 5.5 mm	# 10-1021-101
1 x Slide-on reducer, Ø 11 / 12.5 mm to Ø 5.5 mm	# 10-1021-201
2 x Manhes grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1326XPI
2 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
2 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Kelly dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1419XPI
1 x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
2 x Dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1422XPI
2 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
2 x XPress Lock™ handle w/o ratchet	# 13-1367XP



1x Dissecting forceps, Ø 10 mm, 330 mm (insert)	# 13-0530XPI
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm	# 13-1357XP
1x XPress Lock™ handle with universal ratchet	# 13-1368XP
1x Maryland dissecting forceps, Ø 10 mm, 330 mm (insert)	# 13-1340XPI
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm	# 13-1357XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Biopsy spoon forceps, Ø 10 mm, 330 mm (insert)	# 13-1660XPI
1x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm	# 13-1357XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 330 mm (insert)	# 13-1461CI
1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Bipolar Maryland grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1701I
1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm	# 13-1700R
1x Handle for bipolar detachable instruments	# 13-1700SI
1x Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tubes	# 11-1236
1x Standard tube, Ø 5 mm	# 11-1237
1x Verres needle, Ø 2 mm, 120 mm	# 10-1105
1x Axial needleholder, straight jaws, angled handle, Ø 5 mm, 330 mm	# 13-1591P
1x Axial needleholder, self-upright., angled handle, Ø 5 mm, 330 mm	# 13-1590PSFU
1x Monopolar cable, Ackermann / Erbe T ¹ / Martin ¹ / Berchthold ¹ , 3 m	# 11-1260
1x Bipolar cable, EU flat plug, 2-banana, 3 m	# 13-1641



Gynaecology Lap Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 0°, Ø 10 mm, 330 mm	# 11-1130UHD
1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1 x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1 x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
3 x Plain silicone valve trocar, demountable, carbon fiber, Ø 5.5 mm	# 10-1115
3 x Blunt obturator, Ø 5.5 mm	# 10-1034BL
2 x Plain silicone valve trocar, demountable, carbon fiber, Ø 11 mm	# 10-1116
2 x Blunt obturator, Ø 11 mm	# 10-1044BL
1 x Allis grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1350XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Claw forceps, Ø 5 mm, 330 mm (insert)	# 13-1606XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Johan grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1312XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Tenaculum grasping forceps, Ø 5 mm, 330 mm (insert)	# 13-1537XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle with universal ratchet	# 13-1368XP
1 x Kelly dissecting forceps, Ø 5 mm, 330 mm (insert)	# 13-1419XPI
1 x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm	# 13-1356XP
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP



- 1x Biopsy spoon forceps, Ø 10 mm, 330 mm (insert) # 13-1660XPI
- 1x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm # 13-1357XP
- 1x XPress Lock™ handle w/o ratchet # 13-1367XP



- 1x Hook scissors, Ø 5 mm, 330 mm (insert) # 13-1431XPI
- 1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
- 1x XPress Lock™ handle w/o ratchet # 13-1367XP



- 1x Metzenbaum scissors, curved, ceramic, Ø 5 mm, 330 mm (insert) # 13-1461CI
- 1x Sheath for XPress Lock™ inserts, Ø 5 mm, 330 mm # 13-1356XP
- 1x XPress Lock™ handle w/o ratchet # 13-1367XP



- 1x Claw forceps, Ø 10 mm, 330 mm (insert) # 13-1605XPI
- 1x Sheath for XPress Lock™ inserts, Ø 10 mm, 330 mm # 13-1357XP
- 1x XPress Lock™ handle with universal ratchet # 13-1368XP



- 1x Bipolar Maryland grasping forceps, Ø 5 mm, 330 mm (insert) # 13-1701I
- 1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm # 13-1700R
- 1x Handle for bipolar detachable instruments # 13-1700SI



- 1x Bipolar fenestrated grasping forceps, Ø 5 mm, 330 mm (insert) # 13-1702I
- 1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm # 13-1700R
- 1x Handle for bipolar detachable instruments # 13-1700SI



- 1x Bi. fenestrated grasping forceps, curved, Ø 5 mm, 330 mm (insert) # 13-1706I
- 1x Sheath for bipolar detachable instruments, Ø 5 mm, 330 mm # 13-1700R
- 1x Handle for bipolar detachable instruments # 13-1700SI



- 1x Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tubes # 11-1236



- 1x Standard tube, Ø 5 mm # 11-1237



- 1x Suction needle, Ø 5 mm # 11-1237-400



- 1x Verres needle, Ø 2 mm, 120 mm # 10-1105



- 1x Knot pusher, open eyelet, Ø 4 mm, 330 mm # 13-1617




- 1x Two-way handle for adaptable suction-irrigation electrodes # 11-1173



1x L-Hook electrode, adaptable, monopolar, Ø 5 mm, 330 mm	# 11-1179
1x Button electrode, adaptable, monopolar, Ø 5 mm, 330 mm	# 11-1184
1x Needle electrode, adaptable, monopolar, Ø 5 mm, 330 mm	# 11-1200
1x Axial needleholder, right curved, angled handle, Ø 5 mm, 330 mm	# 13-1593P
1x Axial needleholder, left curved, angled handle, Ø 5 mm, 330 mm	# 13-1594P
1x Myoma screw, Ø 5 mm, 380 mm	# 10-1096
1x Uterus manipulator without adapters	# 18-2356
1x Portio adapter, curved, Ø 8 mm / 80 mm	# 18-2356-100
1x Portio adapter, curved, Ø 10 mm / 100 mm	# 18-2356-200
1x Portio adapter, cone shaped, short	# 18-2356-500
1x Portio adapter, cone shaped, long	# 18-2356-600
1x Monopolar cable, Ackermann /Erbe T ¹ / Martin ¹ /Berchthold ¹ , 3 m	# 11-1260
1x Bipolar cable, EU flat plug, 2-banana , 3 m	# 13-1641





Combiflex

Pediatric Lap Set

Ordering Information and Recommendations

1 x 4k UHD Laparoscope, 0°, Ø 5 mm, 330 mm	# 11-1120UHD
1 x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m	# 11-1161
1 x Adaptor scope-side, Ackermann / Storz ¹ / Olympus ¹	# 11-1146-100
1 x Adaptor lightsource-side, Ackermann / Storz ¹	# 11-1147-100
1 x Plain silicone valve trocar, demount., carbon fiber, Ø 5.5 mm	# 10-1115
1 x Conical tip obturator, Ø 5.5 mm	# 10-1035
4 x Miniature silicone valve trocar, Ø 3 mm, 70 mm	# 23-3086
4 x Miniature triangular tip obturator for 23-3086, Ø 3 mm	# 23-3021
1 x Verres needle, Ø 2 mm, 100 mm	# 10-1100
1 x Miniature Metzenbaum scissors, Ø 2.9 mm, 200 mm (insert)	# 23-3000XPI-20
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
2 x Miniature grasping forceps, Ø 2.9 mm, 200 mm (insert)	# 23-3015XPI-20
2 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Miniature bowel grasping forceps, Ø 2.9 mm, 200 mm (insert)	# 23-3082XPI-20
1 x XPress Lock™ handle with french ratchet	# 13-1369XP
1 x Miniature hook scissors, Ø 2.9 mm, 200 mm (insert)	# 23-3001XPI-20
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP
1 x Miniature Kelly grasping forceps, Ø 2.9 mm, 200 mm (insert)	# 23-3020XPI-20
1 x XPress Lock™ handle w/o ratchet	# 13-1367XP



1x Miniature Pylorus grasping forceps, Ø 2.9 mm, 200 mm (insert)	# 23-3092XPI-20
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Mini bipolar Maryland grasping forceps, Ø 3 mm, 290 mm (insert)	# 23-3025BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Mini bipolar fenestrated grasping forceps, Ø 3 mm, 290 mm (insert)	# 23-3082BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Mini bipolar Metzenbaum scissors, Ø 3 mm, 290 mm (insert)	# 23-3000BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tube	# 11-1236
1x Standard tube, Ø 3 mm	# 11-1237-700
1x L-Hook electrode, monopolar, Ø 3 mm, 200 mm	# 23-3070-20
1x Axial needleholder, right curved jaws, angled handle, Ø 3 mm	# 23-3027P-20
1x Axial needleholder, left curved jaws, angled handle, Ø 3 mm	# 23-3028P-20
1x Monopolar cable, Erbe ACC ¹ / ICC-VIO ¹ , 3 m	# 11-1261
1x Bipolar cable, EU flat plug, 2-banana , 3 m	# 13-1641



Miniature Lap Set

Ordering Information and Recommendations

OPTIONAL

- 1x 4k UHD Laparoscope, 30°, Ø 10 mm, 330 mm # 11-1135UHD
- 1x 4k UHD Laparoscope, 30°, Ø 5 mm, 330 mm # 11-1125UHD
- 1x High performance fiber light cable, heat-shielded, Ø 4.8 mm, 3 m # 11-1161
- 1x Adaptor scope-side, Ackermann / Storz¹ / Olympus¹ # 11-1146-100
- 1x Adaptor lightsource-side, Ackermann / Storz¹ # 11-1147-100
- 1x Plain silicone valve trocar, demount., carbon fiber, Ø 5.5 mm # 10-1115
- 1x Conical tip obturator, Ø 5.5 mm # 10-1035
- 1x Plain silicone valve trocar, demount., carbon fiber, Ø 11 mm # 10-1116
- 1x Pyramidal / triangular tip obturator, Ø 11 mm # 10-1044
- 3x Miniature silicone valve trocar, Ø 3 mm, 70 mm # 23-3086
- 3x Miniature triangular tip obturator for 23-3086, Ø 3 mm # 23-3021
- 1x Verres needle, Ø 2 mm, 120 mm # 10-1105
- 1x Miniature Metzenbaum scissors, Ø 2.9 mm, 360 mm (insert) # 23-3000XPI
- 1x XPress Lock™ handle w/o ratchet # 13-1367XP
- 1x Miniature grasping forceps, Ø 2.9 mm, 360 mm (insert) # 23-3015XPI
- 1x XPress Lock™ handle w/o ratchet # 13-1367XP
- 1x Miniature bowel grasping forceps, Ø 2.9 mm, 360 mm (insert) # 23-3082XPI
- 1x XPress Lock™ handle with french ratchet # 13-1369XP



1x Miniature hook scissors, Ø 2.9 mm, 360 mm (insert)	# 23-3001XPI
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Miniature Kelly grasping forceps, Ø 2.9 mm, 360 mm (insert)	# 23-3020XPI
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Miniature Pylorus grasping forceps, Ø 2.9 mm, 360 mm (insert)	# 23-3092XPI
1x XPress Lock™ handle w/o ratchet	# 13-1367XP
1x Mini bipolar Maryland grasping forceps, Ø 3 mm, 290 mm (insert)	# 23-3025BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Mini bipolar fenestrated grasping forceps, Ø 3 mm, 290 mm (insert)	# 23-3082BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Mini bipolar Metzenbaum scissors, Ø 3 mm, 290 mm (insert)	# 23-3000BP
1x Sheath for mini bipolar detachable instruments, Ø 3 mm, 290 mm	# 23-3091
1x Handle for mini bipolar detachable instruments	# 23-3090
1x Injection needle Ø 2.8 mm, 330 mm	# 13-1619-3
1x Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tube	# 11-1236
1x Standard tube, Ø 3 mm	# 11-1237-700
1x L-Hook electrode, monopolar, Ø 3 mm, 330 mm	# 23-3070
1x Axial needleholder, right curved jaws, angled handle, Ø 3 mm	# 23-3027P
1x Axial needleholder, left curved jaws, angled handle, Ø 3 mm	# 23-3028P
1x Monopolar cable, Erbe ACC ¹ / ICC-VIO ¹ , 3 m	# 11-1261
1x Bipolar cable, EU flat plug, 2-banana, 3 m	# 13-1641



Access Instrumentation


Table of Contents

Trocars / **p. 26 - 37**

Obturator / **p. 38 - 45**

Fascia Closing Instruments / **p. 46 - 47**

Reducers, Dilators & other Accessories / **p. 48 - 50**






Silicone Valve Trocars


Key Features

- Silicone valve trocar **weights less than 40 g**
- Maintenance-free **silicone valve**
- **Less damage** of scope and instrument tip due to less instrument friction
- **Excellent tactile feedback** when inserting into the abdominal cavity
- Available on request with 150 mm WL for **bariatric procedures**
- **Safe CO²** sealing



... more Features

- Trocars made of ultra light-weight reinforced carbon fiber
- With threaded or plain cannula
- Ergonomic design with LL stopcock
- Easy cleaning due to demountability
- Bayonet locking for easy valve exchange
- Color-coded sealing cap
- Diameters of 5.5 mm, 11 mm and 12.5 mm available
- + Available without luer-lock on request



Silicone Valve Trocars, Threaded Cannula



	Diameter			Working length		Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	95 mm	105 mm		
Threaded silicone valve trocar , demountable, carbon fiber	•			•		●	10-1115THC
Threaded silicone valve trocar , demountable, carbon fiber		•			•	●	10-1116THC
Threaded silicone valve trocar , demountable, carbon fiber			•		•	●	10-1117THC

Silicone Valve Trocars, Plain Cannula



	Diameter			Working length			Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	95 mm	98 mm	101 mm		
Plain silicone valve trocar , demountable, carbon fiber	•			•			●	10-1115
Plain silicone valve trocar , demountable, carbon fiber		•				•	●	10-1116
Plain silicone valve trocar , demountable, carbon fiber			•		•		●	10-1117

Multifunctional Trocars

Key Features

- Trocars made of **high-quality stainless steel**
- **Robust design** with LL stopcock
- Model with traditional **multifunctional trap door valve**
- Available on request with 150 mm WL for **bariatric procedures**



... more Features

- Available with plain and threaded cannula
- Easy cleaning due to demountability
- Color-coded sealing cap
- Diameters of 5.5 mm, 11 mm and 12.5 mm available
- Fully modular




Multifunctional Trocars, Threaded Cannula



	Diameter			Working length			Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	95 mm	105 mm			
Threaded multifunct. trocar , demountable, stainless steel	•			•			●	10-1002THC
Threaded multifunct. trocar , demountable, stainless steel		•			•		●	10-1012THC
Threaded multifunct. trocar , demountable, stainless steel			•		•		●	10-1012-12,5THC

Multifunctional Trocars, Plain Cannula



	Diameter			Working length			Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	95 mm	98 mm	101 mm		
Plain multifunct. trocar , demountable, stainless steel	•			•			●	10-1002
Plain multifunct. trocar , demountable, stainless steel		•			•		●	10-1012
Plain multifunct. trocar , demountable, stainless steel			•		•		●	10-1012-12,5

Hasson Trocars


Key Features

- Model used for **half-open technique** when inserting the first trocar **under direct vision**
- Preferred use with patients who had **prior abdominal surgical procedures** and may have tissue adhering to the abdominal wall
- **Additional cones** of different types available




... more Features

- Made of high-quality stainless steel
- Comes with blunt obturator and integrated suture ties
- Robust design with LL stopcock
- Diameters of 5.5 mm or 11 mm available



Hasson Trocar, Threaded Cannula



	Diameter		Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm		
Hasson trocar , trap door, stainless steel, incl. obturator and cone	•		•	10-1067-05
Hasson trocar , trap door, stainless steel, incl. obturator and cone		•	•	10-1067

Spare Hasson Cone w/o Suture Ties

For Use with 10-1067

	Type	Made of	Item no.
Spare Hasson cone, Ø 11 mm	w/o suture ties	carbon fiber	10-1067-501
Spare Hasson cone, Ø 11 mm	with suture ties	carbon fiber	10-1067-502
Spare Hasson cone, Ø 11 mm	for fascia sealing	stainless steel	10-1067-505
Spare Hasson cone, Ø 11 mm	with suture ties	stainless steel	10-1067-506



S-Retractor for Hasson Technique

For Use with 10-1067




	Diameter		Item no.
	Ø 11.5 mm	Ø 15 mm	
S-Retractor for Hasson technique, pair	•		10-1098S
S-Retractor for Hasson technique, pair		•	10-1098

Miniature Trocars


Key Features

- Silicone valve trocar **weights less than 18 g**
- Maintenance-free **silicone valve**
- **Less damage** of scope and instrument tip due to less instrument friction
- **Excellent tactile feedback** when inserting into the abdominal cavity
- **Safe** CO² sealing



... more Features

- Trocars made of ultra light-weight reinforced carbon fiber and high-quality stainless steel
- Use with accompanying miniature laparoscopy obturators and instruments
- Ergonomic design with LL stopcock
- Easy cleaning due to demountability
- Easy valve exchange
- Color-coded sealing cap
- Diameters of 3 mm and working length of 70 mm
- + Other cannula lengths and diameters on request



MINILAP

Miniature Silicone Valve Trocar, Plain Cannula

For Use with Miniature Instruments



	Color coding	Item no.
Miniature silicone valve trocar, \varnothing 3 mm, 70 mm, matching obturators: 23-3021 / 23-3021BL	●	23-3086

MINILAP

Miniature Multifunctional Trocar, Plain Cannula

For Use with Miniature Instruments



	Color coding	Item no.
Miniature multifunctional trocar, \varnothing 3.5 mm, 70 mm, matching obturator: 23-3022 / 23-3022BL	●	23-3084

Single Port / Thoracoscopy Access


Key Features

- **Decreasing trauma** and risk for herniation
- Enhanced **cosmetic benefits** and no visible scarring
- **Accelerated** recovery time
- **Obturator already included**
- **Color-coded** sealing cap



... more Features

- Use for trans-umbilical single port surgery with accompanying instruments
- Reduced postoperative pain
- Revolutionary technology in minimally-invasive laparoscopic surgery
- Made of maintenance-free silicon
- Single port trocar enables a 20 mm incision
- Diameters of 5.5 mm or 11 mm available
- Specially designed for use with Ackermann thoracoscopy / single port instruments



Flexible Single Port / Thoracoscopy Trocars

Models incl. Obturator



	Diameter		Color coding	Item no.
	Ø 5.5 mm	Ø 11 mm		
Flexible trocar with obturator, threaded, 70 mm	•		•	13-1699A
Flexible trocar with obturator, threaded, 70 mm		•	•	13-1699B

Single Port Silicone Trocar



	Item no.
Single port trocar for 20 mm umbilical incision, silicone, reusable	13-1699

Custom Trocar Configuration

How to

- 1 Choose between a trocar diameter of 5.5 mm, 11 mm or 12.5 mm.
- 2 Choose an appropriate trocar cannula.
- 3 Add a trocar body.

Note

Each component of the trocar body is also available separately as a spare part.



Trocar Cannulas


Step 2

	Diameter			Cannula type		Cannula material		Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	Threaded	Plain	Carbon fiber	Stainless steel	
Trocar cannula only	•			•		•		10-1018
Trocar cannula only	•			•			•	10-1014
Trocar cannula only	•				•	•		10-1014NT
Trocar cannula only	•				•		•	10-1002-100
Trocar cannula only		•		•		•		10-1019
Trocar cannula only		•		•			•	10-1017
Trocar cannula only		•			•	•		10-1017NT
Trocar cannula only		•			•		•	10-1012-100
Trocar cannula only			•	•		•		10-1019-12,5
Trocar cannula only			•	•			•	10-1017-12,5
Trocar cannula only			•		•	•		10-1017NT-125
Trocar cannula only			•		•		•	10-1012-12,5-100


Trocar Bodies

Step 3

Silicone valve trocar, illustration



Multifunctional valve trocar, illustration




	Diameter	Body type		Color coding	Item no.
		Silicone valve	Multifunctional valve		
Trocar body, silicone valve, complete includes Trocar body 10-1115-200 and Silicone valve 10-1008-100 and Top housing 10-1115-400 and Sealing cap 10-1029	Ø 5.5 mm	•		●	10-1115BODY
Trocar body, multifunctional, complete includes Trocar body 10-1002-200 and O-ring 25x1,5 and Upper housing 10-1002-300 and Inner sealing 10-1031 and Top housing 10-1002-400 and Sealing cap 10-1029	Ø 5.5 mm		•	●	10-1002BODY
Trocar body, silicone valve, complete includes Trocar body 10-1116-200 and Silicone valve 10-1013-100 and Top housing 10-1116-400 and Sealing cap 10-1030	Ø 11 mm	•		●	10-1116BODY
Trocar body, multifunctional, complete includes Trocar body 10-1012-200 and O-ring 30x1,5 and Upper housing 10-1012-300 and Inner sealing 10-1032 and Top housing 10-1012-400 and Sealing cap 10-1030	Ø 11 mm		•	●	10-1012BODY
Trocar body, silicone valve, complete includes Trocar body 10-1117-200 and Silicone valve 10-1013-100 and Top housing 10-1117-400 and Sealing cap 10-1030-12,5	Ø 12.5 mm	•		●	10-1117BODY
Trocar body, multifunctional, complete includes Trocar body 10-1012-12,5-200 and O-ring 30x1,5 and Upper housing 10-1012-300 and Inner sealing 10-1032 and Top housing 10-1012-12,5-400 and Sealing cap 10-1030-12,5	Ø 12.5 mm		•	●	10-1012-12,5BODY

Safety Obturators


Key Features

- **Increased protection** after penetration of the trocar in the abdominal cavity due to self-locking mechanism
- **Less abdominal injuries**
- **Rounded trocar blades** in the lateral area result in a **dilating effect**




... more Features

- Obturators made of high-quality stainless steel
- If the cutting protection is activated, the trocar tip is not released until it is inserted into the abdominal cavity
- As soon as the trocar tip has passed the abdominal wall, it is again instantly secured
- Easy cleaning and reprocessing
- The triangular dilating tip obturator successfully penetrates the abdominal wall the internal gas escapes, indicating when to stop



Lockable Safety Obturators




	For trocars with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Lockable safety obturator, active	•			10-1037
Lockable safety obturator, active		•		10-1047
Lockable safety obturator, active			•	10-1047-12,5

Safety Obturators



	For trocars with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Safety obturator, half-moon, oblique tip	•			10-1036
Safety obturator, half-moon, oblique tip		•		10-1046
Safety obturator, half-moon, oblique tip			•	10-1051

Triangular Dilating Tip Obturators




	For trocars with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Triangular dilating tip obturator with indication channel	•			10-1033
Triangular dilating tip obturator with indication channel		•		10-1048
Triangular dilating tip obturator with indication channel			•	10-1053

Minimal Trauma Obturators

Key Features

- **Minimal trauma** after penetration of the trocar in the abdominal cavity due to patented design of the obturator tip
- **Small incision** is required due to dilating effect
- Easy to clean **high-quality stainless steel**
- Available for trocars in diameters of 5.5 mm, 11 mm and 12.5 mm



PREVENTS INJURIES	STAINLESS STEEL	MIN TRAUMA
5.5 mm DIAMETER	11 mm DIAMETER	12.5 mm DIAMETER

Minimal Trauma Obturators




	For trocars with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Minimal trauma obturator	•			10-1068
Minimal trauma obturator		•		10-1069
Minimal trauma obturator			•	10-1069-12,5



Standard Obturators

Key Features

- Standard designs with **pyramidal / triangular, conical or blunt tip**
- To be used with all Ackermann **multifunctional and silicone valve trocars**
- Other diameters and cannula lengths e.g. **150 mm for bariatric procedures on request**




... more Features

- Obturators made of high-quality stainless steel
- For trocar diameters of 5.5 mm, 11 mm und 12.5 mm available
- Proven standard designs
- Maintenance free



Pyramidal / Triangular Tip Obturators




	For trocar with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Pyramidal / triangular tip obturator	•			10-1034
Pyramidal / triangular tip obturator		•		10-1044
Pyramidal / triangular tip obturator			•	10-1049

Conical Tip Obturators



	For trocar with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Conical tip obturator	•			10-1035
Conical tip obturator		•		10-1045
Conical tip obturator			•	10-1050

Blunt Tip Obturators




	For trocar with			Item no.
	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm	
Blunt tip obturator	•			10-1034BL
Blunt tip obturator		•		10-1044BL
Blunt tip obturator			•	10-1049BL

Miniature Obturators


Key Features

- Obturators made of high-quality stainless steel sheath and **light-weight carbon fiber top**
- Compatible with **Ackermann Miniature Laparoscopy trocars**




... more Features

- For trocar diameters of 3 mm
- Easy reprocessing
- Standard designs with proven pyramidal and blunt tip for easy access
- + Other designs and patterns on request




MINILAP Miniature Triangular Obturators



	Item no.
Triangular tip obturator for Miniature Laparoscopy, Ø 3 mm, for trocar 23-3086	23-3021
Triangular tip obturator for Miniature Laparoscopy, Ø 3 mm, for trocar 23-3084	23-3022

MINILAP Miniature Conical / Blunt Tip Obturators



	Item no.
Conical / blunt tip obturator for Miniature Laparoscopy, Ø 3 mm, for trocar 23-3086	23-3021BL
Conical / blunt tip obturator for Miniature Laparoscopy, Ø 3 mm, for trocar 23-3084	23-3022BL

Fascia Closing Instruments


Key Features

- Simple but **smart and light-weight** design for optimal comfort and ease of use
- **Needle cone shaped tip** to facilitate insertion
- Single action serrated inner jaws for **optimal suture grip**
- Large opening of movable tip to **facilitate gripping of the suture**
- Distance holder allows for a controlled insertion and helps to **prevent injuries to tissues and organs**




... more Features

- Medical grade high-quality stainless steel
- 100% made in Germany
- Working length of 180 mm
- Small diameter of 2.8 mm – for a minimally invasive approach
- Ergonomic spring handle suitable for left and right-handed physicians
- Flush port for easy reprocessing




Fascia Closing Suture Passer



	Item no.
Fascia closing suture passer with stop, Ø 3 mm, 180mm	10-1114

How to use the Fascia Closing Suture Passer



Fascia Closing Cannula




	Item no.
Fascia closing cannula, Ø 2.3 mm, 140mm	10-1113

Reducers & Dilators


Key Features

- Ackermann reducers enable **switching between instruments with a smaller diameter** without changing the trocar
- **Reduces** the loss of gas
- Dilators allow for **switching to a larger sized trocar** whenever indicated



... more Features

- Reducing accessories are to be used depending on the trocar diameter
- Plastic reducers with a silicone latch are particularly well suited for trocars with a manual trap door
- Our full range includes various reduction sleeves, slide-on reducers, flip-on reducers as well as dilation sets



Flip-on Reducers



	Reduction diameter		Item no.
	Ø 11 mm to Ø 5.5 mm	Ø 12.5 mm to Ø 5.5 mm	
Flip-on reducer	•		10-1021-101
Flip-on reducer		•	10-1021-102

Slide-on Reducer




	Item no.
Slide-on reducer, Ø 11 mm / Ø 12.5 mm to Ø 5.5 mm	10-1021-201

Reduction Sleeves




	Reduction diameter			Item no.
	Ø 5.5 mm to Ø 3 mm	Ø 10 mm to Ø 5.5 mm	Ø 11 mm to Ø 5.5 mm	
Reduction sleeve	•			10-1070-3
Reduction sleeve		•		10-1070
Reduction sleeve			•	10-1075

Dilation Sets



	Dilation diameter		Item no.
	Ø 5.5 mm to Ø 11 mm	Ø 10 mm to Ø 15 mm	
Dilation set	•		10-1085
Dilation set		•	10-1090

Verres Needles



	Length			Item no.
	100 mm	120 mm	150 mm	
Verres needle, Ø 2 mm	•			10-1100
Verres needle, Ø 2 mm		•		10-1105
Verres needle, Ø 2 mm			•	10-1111



Obturator, Dilators and Reducers

Designs at a Glance



Compatibility Matrix

For Trocars, Obturators, Dilators and Reducers

	Diameter				Color coding of trocar	Item no.
	Ø 3 mm	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm		
Silicone valve trocar , plain, miniature	•				●	23-3086
Multifunctional valve trocar , plain, miniature	•				●	23-3084
Obturator , triangular tip, for 23-3086	•				●	23-3021
Obturator , conical/blunt tip, for 23-3086	•				●	23-3021BL
Obturator , triangular tip, for 23-3084	•				●	23-3022
Obturator , conical/blunt tip, for 23-3084	•				●	23-3022BL
Silicone valve trocar , threaded		•			●	10-1115THC
Silicone valve trocar , plain		•			●	10-1115
Multifunctional valve trocar , threaded		•			●	10-1002THC
Multifunctional valve trocar , plain		•			●	10-1002
Obturator , dilating tip		•			●	10-1033
Obturator , pyramidal tip		•			●	10-1034
Obturator , blunt tip		•			●	10-1034BL

Description	Diameter				Color coding of trocar	Item no.
	Ø 3 mm	Ø 5.5 mm	Ø 11 mm	Ø 12.5 mm		
Obturator , conical tip		•			●	10-1035
Obturator , safety shield tip		•			●	10-1036
Obturator , safety shield tip, lockable		•			●	10-1037
Obturator , minimal trauma tip		•			●	10-1068
Reduction sleeve	•	•			●	10-1070-3
Dilation set		•	•		●	10-1085
Silicone valve trocar , threaded			•		●	10-1116THC
Silicone valve trocar , plain			•		●	10-1116
Multifunctional valve trocar , threaded			•		●	10-1012THC
Multifunctional valve trocar , plain			•		●	10-1012
Obturator , dilating tip			•		●	10-1048
Obturator , pyramidal tip			•		●	10-1044
Obturator , blunt tip			•		●	10-1044BL
Obturator , conical tip			•		●	10-1045
Obturator , safety shield tip			•		●	10-1046
Obturator , safety shield tip, lockable			•		●	10-1047
Obturator , minimal trauma tip			•		●	10-1069
Reduction sleeve			•		●	10-1075
Dilation set			•	•	●	10-1090
Flip-on reducer			•		●	10-1021-101
Slide-on reducer		•	•		●	10-1021-201
Silicone valve trocar , threaded				•	●	10-1117THC
Silicone valve trocar , plain				•	●	10-1117
Multifunctional valve trocar , threaded				•	●	10-1012-12,5THC
Multifunctional valve trocar , plain				•	●	10-1012-12,5
Obturator , dilating tip				•	●	10-1053
Obturator , pyramidal tip				•	●	10-1049
Obturator , blunt tip				•	●	10-1049BL
Obturator , conical tip				•	●	10-1050
Obturator , safety shield tip				•	●	10-1051
Obturator , safety shield tip, lockable				•	●	10-1047-12,5
Obturator , minimal trauma tip				•	●	10-1069-12,5
Dilation set				•	●	10-1090
Flip-on reducer				•	●	10-1021-102
Slide-on reducer				•	●	10-1021-201

Laparoscopes & Accessories

Table of Contents

4k UHD, FullHD & Standard Laparoscopes / **p. 57 - 58**

Laparoscopes with Working Channel / **p. 60 - 61**

Fiber Light Cables, Adapters & Light Cable Testers / **p. 62 - 64**





Laparoscopes


Key Features

- Available in **4k UHD, FullHD and standard resolution**
- **Sapphire glass lense** at proximal and distal end
- Nitrogen filled optical system to **avoid fogging** from the inside
- Three-tube construction for **more stability**
- Sealing by **laser welding** with **excellent** optical transmission
- **Autoclavable**



... more Features

- Made of high-quality stainless steel
- Sophisticated, anti-reflective optical system
- Powerful optical fibers
- Highly refractive lenses for optimum colour rendering even at high magnification
- Light cable adapters to Ackermann, Storz¹, Olympus¹, Wolf¹, ACMI¹
- High-quality glass cone for optimizing light input
- Standard C-Mount coupling
- Extremely precise centering of the optical and mechanical components for a brilliant and high-contrast image right up to the edge area the inside



4k UHD Laparoscopes



	Diameter		Viewing angle			Length				Item no.
	Ø 5 mm	Ø 10 mm	0°	30°	45°	300 mm	330 mm	425 mm	450 mm	
4k UHD Laparoscope	•		•			•				11-1120UHD
4k UHD Laparoscope	•			•		•				11-1125UHD
4k UHD Laparoscope	•				•	•				11-1126UHD
4k UHD Bariatric Laparoscope	•		•					•		11-1120-45UHD
4k UHD Bariatric Laparoscope	•			•				•		11-1125-45UHD
4k UHD Bariatric Laparoscope	•				•			•		11-1126-45UHD
4k UHD Laparoscope		•	•				•			11-1130UHD
4k UHD Laparoscope		•		•			•			11-1135UHD
4k UHD Laparoscope		•			•		•			11-1136UHD
4k UHD Bariatric Laparoscope		•	•						•	11-1130-45UHD

FullHD Laparoscopes



	Diameter		Viewing angle			Length				Item no.
	Ø 5 mm	Ø 10 mm	0°	30°	45°	300 mm	330 mm	425 mm	450 mm	
FullHD Laparoscope	•		•			•				11-1120HD
FullHD Laparoscope	•			•		•				11-1125HD
FullHD Laparoscope	•				•	•				11-1126HD
FullHD Bariatric Laparoscope	•		•					•		11-1120-45HD
FullHD Bariatric Laparoscope	•			•				•		11-1125-45HD
FullHD Bariatric Laparoscope	•				•			•		11-1126-45HD
FullHD Laparoscope		•	•				•			11-1130HD
FullHD Laparoscope		•		•			•			11-1135HD
FullHD Laparoscope		•			•		•			11-1136HD
FullHD Bariatric Laparoscope		•	•						•	11-1130-45HD

Standard Laparoscopes




	Diameter		Viewing angle			Length				Item no.
	Ø 5 mm	Ø 10 mm	0°	30°	45°	300 mm	330 mm	425 mm	450 mm	
Standard Laparoscope	•		•			•				11-1120
Standard Laparoscope	•			•		•				11-1125
Standard Laparoscope	•				•	•				11-1126
Standard Laparoscope		•	•				•			11-1130
Standard Laparoscope		•		•			•			11-1135
Standard Laparoscope		•		•					•	11-1135-45
Standard Laparoscope		•			•		•			11-1136



Laparoscopes with Working Channel


Key Features

- **Highest resolution** and depth of view
- Larger magnification
- Wide angle
- Ocular angled **90° or 45°**



... more Features

- Available in 10 mm with 0°, featuring an 6 mm instrument channel
- Polished lenses made of sapphire glass
- Autoclavable at 134°
- Brilliant and bright picture
- Distortion-free picture
- C-Mount coupling
- Includes various adapters (Ackermann, Storz¹, Olympus¹, Wolf¹, ACMI¹)



OP Laparoscopes



	Ocular		Item no.
	45° angled	90° angled	
Laparoscope with working channel, Ø 10 mm, 0°, 265 working length	•		11-1140
Laparoscope with working channel, Ø 10 mm, 0°, 265 working length		•	11-1145

Fiber Light Cables & Adapters

Key Features

- No gaps between the fibers ensure **30% more light** in comparison to conventionally bundled fiber light cables
- Extremely **sturdy material but highly flexible** at the same time



... more Features

- Transverse pressure resistant
- Excellent bending property
- Other colors and patterns on request



High-Performance Fiber Light Cables



	Length			Item no.
	1.8 m	2.3 m	3 m	
High-performance fiber light cable, Ø 4.8 mm	•			11-1168
High-performance fiber light cable, Ø 4.8 mm		•		11-1167
High-performance fiber light cable, Ø 4.8 mm			•	11-1161

Standard Fiber Light Cables



	Length			Item no.
	1.8 m	2.3 m	3 m	
Standard fiber light cable, Ø 3.5 mm	•			11-1150
Standard fiber light cable, Ø 3.5 mm		•		11-1151
Standard fiber light cable, Ø 3.5 mm			•	11-1152

Anti-Fogging Lube

For Use with Ackermann Scopes



	Item no.
Anti-fogging lube, UOM 30 pcs.	11-1121

Scope-side Adapters

	Ackermann / Storz ¹ / Olympus ¹	Type Wolf ¹	ACMI ¹ / Circon ¹ / Stryker ¹	Item no.
Scope-side adapter	•			11-1146-100
Scope-side adapter		•		11-1146-200
Scope-side adapter			•	11-1146-300

Lightsource-side Adapters

	Type				Item no.
	Ackermann / Storz ¹	Wolf ¹	ACMI ¹ / Circon ¹ / Stryker ¹	Olympus ¹	
Lightsource-side adapter	•				11-1147-100
Lightsource-side adapter		•			11-1147-200
Lightsource-side adapter			•		11-1147-300
Lightsource-side adapter				•	11-1147-400

Light Cable Testers



	Type			Item no.
	Ackermann / Storz ¹	Wolf ¹	Olympus ¹	
Light cable tester	•			11-1600CB
Light cable tester		•		11-1600CBWOL
Light cable tester			•	11-1600CBOLY



Monopolar & Bipolar Electrodes

Table of Contents

Ceramic Tip Monopolar Electrodes / **p. 68 - 69**

Standard Monopolar Electrodes / **p. 70 - 74**

Suction/Irrigation Electrodes & Handles / **p. 77 -79**

Standard Bipolar Electrodes / **p. 80 -81**





Ceramic Tip Monopolar Electrodes

Key Features

- Due to lasting and precise coagulation, **less collateral tissue damage**
- Easier cleanable surface
- Cost-effective due to **long-term stable surface**
- **Low-tempered coagulation** preserves the electrodes' insulation



... more Features

- Easy assembly and disassembly
- Fully insulated
- Wear-resistant ceramic tip
- More resistant to detergents and disinfectants in comparison to standard electrodes
- Available in Ø 5 mm with 330 mm or 450 mm working length




L-Hook Electrodes, Ceramic Tip



	Length	Item no.
	330 mm 450 mm	
L-Hook electrode with ceramic tip, monopolar, Ø 5 mm	•	11-1175C
L-Hook electrode with ceramic tip, monopolar, Ø 5 mm	•	11-1175C-45

J-Hook Electrodes, Ceramic Tip



	Length	Item no.
	330 mm 450 mm	
J-Hook electrode with ceramic tip, monopolar, Ø 5 mm	•	11-1185C
J-Hook electrode with ceramic tip, monopolar, Ø 5 mm	•	11-1185C-45

Spatula Electrodes, Ceramic Tip





	Length	Item no.
	330 mm 450 mm	
Spatula electrode with ceramic tip, monopolar, Ø 5 mm	•	11-1170C
Spatula electrode with ceramic tip, monopolar, Ø 5 mm	•	11-1170C-45

Standard Monopolar Electrodes

Key Features

- **Various** tip pattern options
- **Extended and durable** insulation
- Available in Ø 5 mm with **330 mm or 450 mm working length** and in Ø 3 mm for **pediatric use**



Spatula Electrodes



	Length		Item no.
	330 mm	450 mm	
Spatula electrode, monopolar, Ø 5 mm	•		11-1170
Spatula electrode, monopolar, Ø 5 mm		•	11-1170-45

L-Hook Electrodes




	Length		Item no.
	330 mm	450 mm	
L-Hook electrode, monopolar, Ø 5 mm	•		11-1175
L-Hook electrode, monopolar, Ø 5 mm		•	11-1175-45

Knife Electrodes



	Length		Item no.
	330 mm	450 mm	
Knife electrode, monopolar, Ø 5 mm	•		11-1180
Knife electrode, monopolar, Ø 5 mm		•	11-1180-45

J-Hook Electrodes



	Length		Item no.
	330 mm	450 mm	
J-Hook electrode, monopolar, Ø 5 mm	•		11-1185
J-Hook electrode, monopolar, Ø 5 mm		•	11-1185-45

Sickle Electrodes



	Length		Item no.
	330 mm	450 mm	
Sickle electrode, monopolar, Ø 5 mm	•		11-1188
Sickle electrode, monopolar, Ø 5 mm		•	11-1188-45

Needle Electrodes



	Length		Item no.
	330 mm	450 mm	
Needle electrode, monopolar, Ø 5 mm	•		11-1200
Needle electrode, monopolar, Ø 5 mm		•	11-1200-45

Cone Electrodes



	Length		Item no.
	330 mm	450 mm	
Cone electrode, monopolar, Ø 5 mm	•		11-1205
Cone electrode, monopolar, Ø 5 mm		•	11-1205-45

Button Electrodes



	Length	Item no.
	330 mm 450 mm	
Button electrode, monopolar, Ø 5 mm	•	11-1210
Button electrode, monopolar, Ø 5 mm	•	11-1210-45

MINI LAP Miniature Spatula Electrodes



	Length	Item no.
	200 mm 330 mm	
Miniature spatula electrode, monopolar, Ø 3 mm	•	23-3065-20
Miniature spatula electrode, monopolar, Ø 3 mm	•	23-3065

MINI LAP Miniature Button Electrodes



	Length	Item no.
	200 mm 330 mm	
Miniature button electrode, monopolar, Ø 3 mm	•	23-3066-20
Miniature button electrode, monopolar, Ø 3 mm	•	23-3066

MINI LAP

Miniature L-Hook Electrodes



	Length		Item no.
	200 mm	330 mm	
Miniature L-Hook electrode, monopolar, Ø 3 mm	•		23-3070-20
Miniature L-Hook electrode, monopolar, Ø 3 mm		•	23-3070

MINI LAP

Miniature J-Hook Electrodes




	Length		Item no.
	200 mm	330 mm	
Miniature J-Hook electrode, monopolar, Ø 3 mm	•		23-3075-20
Miniature J-Hook electrode, monopolar, Ø 3 mm		•	23-3075



Suction/Irrigation Monopolar Electrodes

Key Features

- Various electrode patterns with **suction/irrigation channel**
- **3 different valve handle options** enable higher flexibility during each surgical procedure
- Available in Ø 5 mm with **330 mm or 450 mm working length**
- Fully **insulated**
- **Easy** assembly and disassembly



Spatula Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	330 mm	450 mm	
Spatula electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1178
Spatula electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1178-45

L-Hook Electrodes, Adaptable


For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	330 mm	450 mm	
L-Hook Electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1179
L-Hook Electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1179-45

Knife Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	330 mm	450 mm	
Knife electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1181
Knife electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1181-45

J-Hook Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	330 mm	450 mm	
J-Hook electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1182
J-Hook electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1182-45

Cone Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	360 mm	450 mm	
Cone electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1186
Cone electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1186-45

Needle Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	360 mm	450 mm	
Needle electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1187
Needle electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1187-45

Button Electrodes, Adaptable

For Use with 11-1171 / 11-1173 / 11-1174



	Length		Item no.
	360 mm	450 mm	
Button electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm	•		11-1184
Button electrode with suction-irrigation channel, adaptable, monopolar, Ø 5 mm		•	11-1184-45

Trumpet Valve Handle for Adaptable Electrodes



	Item no.
Trumpet valve handle for adaptable suction-irrigation electrodes	11-1171

2-Way Handle for Adaptable Electrodes



	Item no.
Two-way handle for adaptable suction-irrigation electrodes	11-1173

Pistol Handle for Adaptable Electrodes



	Item no.
Pistol handle for adaptable suction-irrigation electrodes	11-1174

Standard Bipolar Electrodes

Key Features

- Easy to clean surface
- **Optimized pole arrangement** allows for safe minimally-invasive coagulation and dissection of tissue
- The insulating coating between the electrodes ensures a **constant distance** and thus a **balanced coagulation result**



4
PATTERNS



5
mm
DIAMETER



PREVENTS
INJURIES



CLEANABLE



STAINLESS
STEEL



REUSABLE

Spatula Electrode, Bipolar



Spatula electrode, bipolar, Ø 5 mm, 340 mm

Item no.

11-1190

L-Hook Electrode, Bipolar



	Item no.
L-Hook electrode, bipolar, Ø 5 mm, 340 mm	11-1191

Ball Electrode, Bipolar



	Item no.
Ball electrode, bipolar, Ø 5 mm, 340 mm	11-1192

J-Hook Electrode, Bipolar



	Item no.
J-Hook electrode, bipolar, Ø 5 mm, 340 mm	11-1193

Suction/Irrigation Accessories


Table of Contents

High-Flow Line / **p. 84 - 85**

Pistol Handle Line / **p. 86 - 87**

Standard Line / **p. 88 - 90**





High-Flow Suction/Irrigation


Key Features

- **High-flow**, ideal for large cavity procedures
- **Color-coding**: blue - irrigation / green - suction
- **One-handed control** by trumpet valve system




... more Features

- Easy assembly and disassembly
- Maximizing of flow rate due to drillings on the distal end of tube, also preventing vacuum
- Available with Ø 5 mm and Ø 10 mm suction tubing individually or as complete set
- Large tube connection
- Handle with tube-luer-lock



High-flow Tubing Set



			Item no.
Trumpet valve handle incl. Ø 5 mm and Ø 10 mm high-flow tubes			11-1235
includes	High-flow tube with drillings, Ø 5 mm	11-1235-100	
and	High-flow tube with drillings, Ø 10 mm	11-1235-101	
and	Trumpet valve handle	11-1235-102	

Trumpet Valve Handle


For Use with 11-1235-101 / 11-1235-102



	Item no.
Trumpet valve handle	11-1235-102

High-flow Tubes

For Use with 11-1235-102



	Diameter		Item no.
	Ø 5 mm	Ø 10 mm	
High-flow tube with drillings	•		11-1235-100
High-flow tube with drillings		•	11-1235-101

Pistol Handle Suction/Irrigation

Key Features

- **2-in-1 ergonomic handle:** suction-irrigation-function or coagulation
- Ease of use due to **1-finger action**
- **Dynamic flow and pressure** control



MODULAR



5 mm
DIAMETER



ERGONOMIC



STAINLESS
STEEL



10 mm
DIAMETER



ADAPTER

... more Features

- Enlarged suction channel
- Comfortable operation due to swivel movement of sliding valve
- Fully detachable



Pistol Handle

For Use with 11-1277 / 11-1278



	Item no.
Pistol handle	11-1276

Standard Tube

For Use with 11-1276



	Diameter			Item no.
	Ø 3 mm	Ø 5 mm	Ø 10 mm	
Standard tube with drillings MINI LAP	•			11-1278-3
Standard tube with drillings		•		11-1278
Standard tube with drillings			•	11-1277

Electrode Adapter

For Use with 11-1276



	Item no.
Electrode adapter to use 11-1276 with adaptable electrodes	11-1279


Interchangeable Suction/Irrigation

Key Features

- Available as **pre-configured set**
- Flexibly expandable due to **wide range** of different tubes patterns
- **Easy** assembly and disassembly
- Available in **Ø 3 mm, Ø 5 mm and Ø 10 mm** suction tubing
- **Bariatric** lengths on request




Interchangeable Tubing Set



			Item no.
Modular suction-irrigation handle incl. Ø 5 mm and Ø 10 mm tubes			11-1236COM
includes	Standard tube, Ø 5 mm, 330 mm	11-1237	
and	Standard tube, Ø 10 mm, 330 mm	11-1238	
and	Modular handle for 3/5/10 mm suction-irrigation tubes	11-1236	

Modular Handle for Suction-Irrigation-Tubes



Item no.

Modular handle for 3 mm / 5 mm / 10 mm suction-irrigation tubes

11-1236

Standard Tube

For Use with 11-1236



	Diameter			Drillings				Item no.
	Ø 3 mm	Ø 5 mm	Ø 10 mm	4	8	16	32	
Standard tube, 330 mm MINI LAP	•				•			11-1237-700
Standard tube, 330 mm		•		•				11-1237-800
Standard tube, 330 mm		•				•		11-1237
Standard tube, 330 mm			•				•	11-1238

Roundhole Bee Hive Tube

For Use with 11-1236



	Type	Length		Item no.
		330 mm	450 mm	
Roundhole bee hive tube with offset holes, Ø 5 mm, 48 drillings	non-rounded	•		11-1237-100
Roundhole bee hive tube with offset holes, Ø 5 mm, 48 drillings	non-rounded		•	11-1237-100-45
Roundhole bee hive tube with offset holes, Ø 5 mm, 48 drillings	rounded	•		11-1237-200
Roundhole bee hive tube with offset holes, Ø 5 mm, 48 drillings	strongly rounded	•		11-1237-300

Blunt Tube

For Use with 11-1236



Blunt tube with tapered tip, Ø 5 mm, 12 drillings, 330 mm

Item no.

11-1237-600

Suction Needle

For Use with 11-1236



Suction needle, Ø 5 mm

Item no.

11-1237-400

Aqua Dissecting Suction Tube

For Use with 11-1236



Aqua dissecting suction tube, Ø 5 mm, 330 mm

Item no.

11-1237-500



Reusable Instrument Lines

Table of Contents

(Miniature) XPress Lock™ Handles & Sheaths / **p. 94 - 95**

(Miniature) Ceramix Cut™ Scissors for XPress Lock™ / **p. 96 - 99**

System CS™ Handles & Sheaths / **p. 101 - 104**

Inserts for XPress Lock™ & System CS™ / **p. 106 - 144**

Inserts for Miniature XPress Lock™ / **p. 146 - 158**







XPress Lock™ Line

Key Features

- Its innovative **quick-lock mechanism** allows for assembly and disassembly within seconds
- **Fully intuitive** and reliable
- **More than 120 different instrument patterns**, from multiple graspers, dissectors, specialty instruments and **Ceramix Cut™**, a high performance Metzenbaum scissor insert featuring ceramic coated blades



... more Features

- Autoclavable
- Lengths of 330 and 450 mm
- No hidden spaces to accommodate blood and debris
- 45° HF-port on the handle
- Ratchet design for on-off action available
- 360° rotatable with audible and tactile feedback
- Unique range of premium instrumentation



XPress Lock™ Handle with Universal Ratchet



	Item no.
XPress Lock™ handle with universal ratchet, black	13-1368XP

XPress Lock™ Handle w/o Ratchet



	Item no.
XPress Lock™ handle without ratchet, black	13-1367XP

XPress Lock™ Handle with French Ratchet



	Item no.
XPress Lock™ handle with french ratchet, black	13-1369XP

XPress Lock™ Sheaths





	Diameter		Length		Item no.
	Ø 5 mm	Ø 10 mm	330 mm	450 mm	
Sheath for XPress Lock™ and Ceramix Cut™ inserts	•		•		13-1356XP
Sheath for XPress Lock™ and Ceramix Cut™ inserts	•			•	13-1356XP-45
Sheath for XPress Lock™ and Ceramix Cut™ inserts		•	•		13-1357XP
Sheath for XPress Lock™ and Ceramix Cut™ inserts		•		•	13-1357XP-45

CeramiX Cut™ Scissors


Key Features

- **Wear-resistant**
- **Outstanding cutting** ability
- Reduced abrasion
- Minimal optical reflection
- **Substantially harder** than regular stainless steel
- Available for use with **XPress Lock™** and **Miniature XPress Lock™**



... more Features

- Cost-effective due to long-term stable surface
- Non-corrosive
- Temperature- and scratch-resistant
- Smooth and dense surface - easily cleanable
- More resistant to detergents and disinfectants
- Improved sliding characteristics, therefore smoother movement of the scissor blades



Metzenbaum Scissors, Ceramix Cut™

"Slim-line", curved, double-action, Ø 5 mm, 17 mm jaw length



Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	13-1309CI
•	•	•	13-1309CI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors, Ceramix Cut™

Straight, double-action, Ø 5 mm, 17 mm jaw length




Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	13-1460CI
•	•	•	13-1460CI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors, Ceramix Cut™

Curved, double-action, Ø 5 mm, 17 mm jaw length



Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	13-1461CI
•	•	•	13-1461CI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors, Ceramix Cut™

Straight, serrated, double-action, Ø 5 mm, **17 mm jaw length**



Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	13-1465CI
•	•	•	13-1465CI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Metzenbaum Scissors, Ceramix Cut™

Curved, serrated, double-action, Ø 5 mm, **17 mm jaw length**



Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	13-1466CI
•	•	•	13-1466CI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

MINI LAP Miniature Metzenbaum Scissors, Ceramix Cut™

Curved, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3000CI-20
•	•	•	23-3000CI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Metzenbaum Scissors, Ceramix Cut™

Straight, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3005CI-20
	•	•	23-3005CI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Metzenbaum Scissors, Ceramix Cut™

Serrated, curved, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3010CI-20
	•	•	23-3010CI

Recommended use with **handle w/o ratchet**

System CS™ Line


Key Features

- Extremely easy assembly and disassembly of the instrument with **screw connection**
- Comprehensive array of instrument patterns, all hand-made in Germany
- Wide selection of **handle options**
- **Premium performance** at unbeatable value for money without having to compromise on quality



... more Features

- Highly economic and proven line of the laparoscopic instruments serving the medical community around the globe
- Hand-made in Germany
- HF-capabilities
- 360° rotation
- Autoclavable
- Color-coded handles available for better instrument allocation







System CS™ Handle w/o Ratchet

	Color coding	Item no.
System CS™ handle without ratchet		13-1367CS
System CS™ handle without ratchet		13-1367FRIGELB
System CS™ handle without ratchet		13-1367FRIGRUEN
System CS™ handle without ratchet		13-1367FRIROT
System CS™ handle without ratchet		13-1367RCFI



System CS™ Handle with Traditional Ratchet

	Color coding	Item no.
System CS™ handle with traditional ratchet		13-1368CS
System CS™ handle with traditional ratchet		13-1368FRIGELB
System CS™ handle with traditional ratchet		13-1368FRIGRUEN
System CS™ handle with traditional ratchet		13-1368FRIROT
System CS™ handle with traditional ratchet		13-1368RCFI



System CS™ Handle with Universal Ratchet

	Color coding	Item no.
System CS™ handle with universal ratchet	●	13-1384CS
System CS™ handle with universal ratchet	●	13-1384FRIGELB
System CS™ handle with universal ratchet	●	13-1384FRIGRUEN
System CS™ handle with universal ratchet	●	13-1384FRIROT
System CS™ handle with universal ratchet	●	13-1384RCFI



System CS™ Handle with French Ratchet

	Color coding	Item no.
System CS™ handle with french ratchet	●	13-1369CS
System CS™ handle with french ratchet	●	13-1369FRIGELB
System CS™ handle with french ratchet	●	13-1369FRIGRUEN
System CS™ handle with french ratchet	●	13-1369FRIROT
System CS™ handle with french ratchet	●	13-1369RCFI



System CS™ Standard Handle

	Type		Item no.
	insulated, HF-port	non-insulated	
System CS™ standard handle	•		13-1366SI
System CS™ standard handle		•	13-1364SI



System CS™ Standard Handle with Traditional Ratchet

	Type		Item no.
	insulated, HF-port	non-insulated	
System CS™ standard handle with traditional ratchet	•		13-1362SITI
System CS™ standard handle with traditional ratchet		•	13-1362SRI



System CS™ Axial Handle with Ratchet

	Item no.
System CS™ axial handle with ratchet	13-1358AXDI



System CS™ Sheaths



	Diameter		Length		Item no.
	Ø 5 mm	Ø 10 mm	330 mm	450 mm	
Sheath for System CS™ inserts	•		•		13-1356CS
Sheath for System CS™ inserts	•			•	13-1356CS-45
Sheath for System CS™ inserts		•	•		13-1357CS
Sheath for System CS™ inserts		•		•	13-1357CS-45



Metzenbaum Scissors

Straight, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1460XPI
•			•	13-1460XPI-45
•		•		13-1460CI
•			•	13-1460CI-45
	•	•		13-1460CSI
	•		•	13-1460CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

Straight, serrated, double-action, Ø 5 mm, 17 mm jaw length




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1465XPI
•			•	13-1465XPI-45
	•	•		13-1465CSI
	•		•	13-1465CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

Curved, double-action, Ø 5 mm, 17 mm jaw length




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1461XPI
•			•	13-1461XPI-45
•		•		13-1461CI
•			•	13-1461CI-45
	•	•		13-1461CSI
	•		•	13-1461CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

Curved, serrated, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1466XPI
•			•	13-1466XPI-45
•		•		13-1466CI
•			•	13-1466CI-45
	•	•		13-1466CSI
	•		•	13-1466CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

Curved, medium blades, double-action, Ø 5 mm, 15 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1467XPI
•			•	13-1467XPI-45
	•	•		13-1467CSI
	•		•	13-1467CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Metzenbaum Scissors

"Slim-line", curved, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1309XPI
•			•	13-1309XPI-45
•		•		13-1309CI
•			•	13-1309CI-45
	•	•		13-1309CSI
	•		•	13-1309CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Miniature Metzenbaum Scissors

Curved, tapered down to 4 mm, double-action, Ø 5 mm, **12 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1468XPI
•			•	13-1468XPI-45
	•	•		13-1468CSI
	•		•	13-1468CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Metzenbaum Scissors

Straight, single-action, Ø 10 mm, **22 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1655XPI
•			•	13-1655XPI-45
	•	•		13-1655CSI
	•		•	13-1655CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Micro Scissors

Straight, single-action, Ø 5 mm, **6 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1344XPI
•			•	13-1344XPI-45
	•	•		13-1344CSI
	•		•	13-1344CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Mirco Scissors

Curved, single-action, Ø 5 mm, 6 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1346XPI
•			•	13-1346XPI-45
	•	•		13-1346CSI
	•		•	13-1346CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Hook Scissors

Single-action, Ø 5 mm, 9 mm Jaw Length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1431XPI
•			•	13-1431XPI-45
	•	•		13-1431CSI
	•		•	13-1431CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Peritoneal Scissors

Blunt tips, single-action, Ø 5 mm, 10 mm Jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1650XPI
•			•	13-1650XPI-45
	•	•		13-1650CSI
	•		•	13-1650CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Fenestrated Grasping Forceps

Micro jaws, double-action, Ø 5 mm, **14 mm jaw length**




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1379XPI
•			•	13-1379XPI-45
	•	•		13-1379CSI
	•		•	13-1379CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Fenestrated Grasping Forceps

Slightly flat jaws, double-action, Ø 5 mm, **18 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1301XPI
•			•	13-1301XPI-45
	•	•		13-1301CSI
	•		•	13-1301CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Fenestrated Grasping Forceps

5 x 20 mm, round, cross serrations, double-action, Ø 5 mm, **21 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1382XPI
•			•	13-1382XPI-45
	•	•		13-1382CSI
	•		•	13-1382CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Endoscopic Clinch Grasping Forceps

Extremely atraumatic serrated, double-action, Ø 5 mm, 22 mm jaw length




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1323XPI
•			•	13-1323XPI-45
	•	•		13-1323CSI
	•		•	13-1323CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Fenestrated Clamp

Double-action, Ø 5 mm, 41 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1343XPI
•			•	13-1343XPI-45
	•	•		13-1343CSI
	•		•	13-1343CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Hunter Grasping Forceps

Fenestrated, double-action, Ø 5 mm, 23 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1571XPI
•			•	13-1571XPI-45
	•	•		13-1571CSI
	•		•	13-1571CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Johan Grasping Forceps

Slightly flat jaws, single-action, Ø 5 mm, **17 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1311XPI
•			•	13-1311XPI-45
	•	•		13-1311CSI
	•		•	13-1311CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Johan Grasping Forceps

Slightly flat jaws, single-action, Ø 5 mm, **25 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1312XPI
•			•	13-1312XPI-45
	•	•		13-1312CSI
	•		•	13-1312CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Johan Grasping Forceps

Slightly flat jaws, single-action, Ø 5 mm, **39 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1313XPI
•			•	13-1313XPI-45
	•	•		13-1313CSI
	•		•	13-1313CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Croce Olmi Grasping Forceps

Serrated, double-fenestrated, curved upwards, single-action, Ø 5 mm, **25 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1353XPI
•			•	13-1353XPI-45
	•	•		13-1353CSI
	•		•	13-1353CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Tumor Grasping Forceps

Blunt end, double-action, Ø 5 mm, **17 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1300XPI
•			•	13-1300XPI-45
	•	•		13-1300CSI
	•		•	13-1300CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Grasping Forceps

Atraumatic serrated, double-action, Ø 5 mm, **27 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1377XPI
•			•	13-1377XPI-45
	•	•		13-1377CSI
	•		•	13-1377CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Maxi Fundus Grasping Forceps

Maximized grip, double-action, Ø 5 mm, **18 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1302XPI
•			•	13-1302XPI-45
	•	•		13-1302CSI
	•		•	13-1302CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Strong Grasping Forceps

Double-action, Ø 5 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1303XPI
•			•	13-1303XPI-45
	•	•		13-1303CSI
	•		•	13-1303CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Strong Grasping Forceps

Single-action, Ø 5 mm, **14 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1600XPI
•			•	13-1600XPI-45
	•	•		13-1600CSI
	•		•	13-1600CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Alligator Grasping Forceps

Double-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1330XPI
•			•	13-1330XPI-45
	•	•		13-1330CSI
	•		•	13-1330CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Standard Grasping Forceps

Cross serrated, double-action, Ø 5 mm, 16 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1354XPI
•			•	13-1354XPI-45
	•	•		13-1354CSI
	•		•	13-1354CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Reddick Grasping Forceps

Double-action, Ø 5 mm, 18 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1335XPI
•			•	13-1335XPI-45
	•	•		13-1335CSI
	•		•	13-1335CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Duckbill Grasping Forceps

Cross serrated, double-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1421XPI
•			•	13-1421XPI-45
	•	•		13-1421CSI
	•		•	13-1421CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Grasping Forceps

Rounded jaws, double-action, Ø 5 mm, 15 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1305XPI
•			•	13-1305XPI-45
	•	•		13-1305CSI
	•		•	13-1305CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Grasping Forceps

With spoon, double-action, Ø 5 mm, 15 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1310XPI
•			•	13-1310XPI-45
	•	•		13-1310CSI
	•		•	13-1310CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Grasping Forceps

Rounded jaws, double-action, Ø 10 mm, 23 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1378XPI
•			•	13-1378XPI-45
	•	•		13-1378CSI
	•		•	13-1378CSI-45

Recommended use with Ø 10 mm sheath and handle w/o ratchet

Grasping Forceps

With spoon, pointed, double-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1315XPI
•			•	13-1315XPI-45
	•	•		13-1315CSI
	•		•	13-1315CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Dolphin Nose Grasping Forceps

Short version, double-action, Ø 5 mm, 17 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1409XPI
•			•	13-1409XPI-45
	•	•		13-1409CSI
	•		•	13-1409CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Dolphin Nose Grasping Forceps

Long version, double-action, Ø 5 mm, **23 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1416XPI
•			•	13-1416XPI-45
	•	•		13-1416CSI
	•		•	13-1416CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Kocher Grasping Forceps

1 x 2 teeth, single-action, Ø 5 mm, **16 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1316XPI
•			•	13-1316XPI-45
	•	•		13-1316CSI
	•		•	13-1316CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Strong Atraumatic Clamp

Curved, double-action, Ø 10 mm, **40 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1324XPI
•			•	13-1324XPI-45
	•	•		13-1324CSI
	•		•	13-1324CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Strong Atraumatic Clamp

Straight, double-action, Ø 10 mm, 40 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1327XPI
•			•	13-1327XPI-45
	•	•		13-1327CSI
	•		•	13-1327CSI-45

Recommended use with Ø 10 mm sheath and handle with ratchet

Atraumatic Grasping Forceps

Single-action, Ø 5 mm, 19 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1325XPI
•			•	13-1325XPI-45
	•	•		13-1325CSI
	•		•	13-1325CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Atraumatic Grasping Forceps

Diamond serrations, double-action, Ø 5 mm, 22 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1413XPI
•			•	13-1413XPI-45
	•	•		13-1413CSI
	•		•	13-1413CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Atraumatic Grasping Forceps

Diamond serrations, curved to tip, double-action, Ø 5 mm, **22 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1414XPI
•			•	13-1414XPI-45
	•	•		13-1414CSI
	•		•	13-1414CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Manhes Grasping Forceps

Sharp, atraumatic, single-action, Ø 5 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1326XPI
•			•	13-1326XPI-45
	•	•		13-1326CSI
	•		•	13-1326CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

TC inserted jaws, atraumatic, double-action, Ø 5 mm, **32 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1329XPI
•			•	13-1329XPI-45
	•	•		13-1329CSI
	•		•	13-1329CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Rounded version, double-action, Ø 5 mm, **36 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1337XPI
•			•	13-1337XPI-45
	•	•		13-1337CSI
	•		•	13-1337CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Short version, single-action, Ø 5 mm, **15 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1350XPI
•			•	13-1350XPI-45
	•	•		13-1350CSI
	•		•	13-1350CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Atraumatic, 3 x 4 teeth, double-action, Ø 5 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1418XPI
•			•	13-1418XPI-45
	•	•		13-1418CSI
	•		•	13-1418CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Fine axial serrations, double-action, Ø 5 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1515XPI
•			•	13-1515XPI-45
	•	•		13-1515CSI
	•		•	13-1515CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Allis Grasping Forceps

Fine axial serrations, double-action, Ø 10 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1510XPI
•			•	13-1510XPI-45
	•	•		13-1510CSI
	•		•	13-1510CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

TC Allis Grasping Forceps

Diamond serrations, double-action, Ø 10 mm, **39 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1530XPI
•			•	13-1530XPI-45
	•	•		13-1530CSI
	•		•	13-1530CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

TC Allis Grasping Forceps

Diamond serrations, double-action, Ø 5 mm, **39 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1535XPI
•			•	13-1535XPI-45
	•	•		13-1535CSI
	•		•	13-1535CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

T-Shaped Grasping Forceps

Double-action, Ø 10 mm, **33 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1339XPI
•			•	13-1339XPI-45
	•	•		13-1339CSI
	•		•	13-1339CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

T-Shaped Grasping Forceps

Atraumatic, TC inserted jaws, double-action, Ø 10 mm, **35 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1328XPI
•			•	13-1328XPI-45
	•	•		13-1328CSI
	•		•	13-1328CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

T-Shaped Grasping Forceps

Atraumatic, TC inserted jaws, double-action, Ø 10 mm, **35 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1342XPI
•			•	13-1342XPI-45
	•	•		13-1342CSI
	•		•	13-1342CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Atraumatic serrations, double-action, Ø 10 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1520XPI
•			•	13-1520XPI-45
	•	•		13-1520CSI
	•		•	13-1520CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Atraumatic inner teeth, double-action, Ø 5 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1525XPI
•			•	13-1525XPI-45
	•	•		13-1525CSI
	•		•	13-1525CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Babcock Grasping Forceps

Atraumatic serrated, TC jaws, double-action, Ø 10 mm, **29 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1331XPI
•			•	13-1331XPI-45
	•	•		13-1331CSI
	•		•	13-1331CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Babcock Grasping Forceps

Double-action, Ø 10 mm, **29 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1341XPI
•			•	13-1341XPI-45
	•	•		13-1341CSI
	•		•	13-1341CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Babcock Grasping Forceps

Serrated, double-action, Ø 10 mm, **29 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1540XPI
•			•	13-1540XPI-45
	•	•		13-1540CSI
	•		•	13-1540CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Babcock Grasping Forceps

Double-action, Ø 5 mm, 31 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1541XPI
•			•	13-1541XPI-45
	•	•		13-1541CSI
	•		•	13-1541CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Babcock - De Bakey Grasping Forceps

Atraumatic inner teeth, single-action, Ø 5 mm, 31 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1542XPI
•			•	13-1542XPI-45
	•	•		13-1542CSI
	•		•	13-1542CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Babcock Grasping Forceps

Short version, for delicate applications, double-action, Ø 5 mm, 18 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1543XPI
•			•	13-1543XPI-45
	•	•		13-1543CSI
	•		•	13-1543CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

US Backcock Grasping Forceps

Spring tension, flexible, atraumatic, double-action, Ø 10 mm, **13 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1544XPI
•			•	13-1544XPI-45
	•	•		13-1544CSI
	•		•	13-1544CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Babcock - De Bakey Grasping Forceps

Atraumatic serrations, double-action, Ø 10 mm, **29 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1545XPI
•			•	13-1545XPI-45
	•	•		13-1545CSI
	•		•	13-1545CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Duval Grasping Forceps

Fine axial serrations, double-action, Ø 10 mm, **34 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1580XPI
•			•	13-1580XPI-45
	•	•		13-1580CSI
	•		•	13-1580CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

TC Collin Grasping Forceps

Double-action, Ø 10 mm, **31 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1585XPI
•			•	13-1585XPI-45
	•	•		13-1585CSI
	•		•	13-1585CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Strong Grasping Forceps

Serrated, double-action, Ø 5 mm, **38 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1332XPI
•			•	13-1332XPI-45
	•	•		13-1332CSI
	•		•	13-1332CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Wave Grasping Forceps DG

Atraumatic wavelike serrations, double-action, Ø 5 mm, **23 mm jaw length**




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1375XPI
•			•	13-1375XPI-45
	•	•		13-1375CSI
	•		•	13-1375CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Wave Grasping Forceps DG

Atraumatic wavelike serrations, single-action, Ø 5 mm, 22 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1381XPI
•			•	13-1381XPI-45
	•	•		13-1381CSI
	•		•	13-1381CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Retraction Forceps

Atraumatic inner teeth, single-action, Ø 5 mm, 23 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1380XPI
•			•	13-1380XPI-45
	•	•		13-1380CSI
	•		•	13-1380CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Cobra Grasping Forceps

Serrated, double-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1417XPI
•			•	13-1417XPI-45
	•	•		13-1417CSI
	•		•	13-1417CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Wave Grasping Forceps

Pointed version, conical, single-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1546XPI
•			•	13-1546XPI-45
	•	•		13-1546CSI
	•		•	13-1546CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Wave Grasping Forceps

Pointed version, flat, single-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1547XPI
•			•	13-1547XPI-45
	•	•		13-1547CSI
	•		•	13-1547CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Wave Grasping Forceps

Wide version, single-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1548XPI
•			•	13-1548XPI-45
	•	•		13-1548CSI
	•		•	13-1548CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Claw Forceps

Traumatic jaws, single-action, Ø 5 mm, 24 mm jaw length




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1606XPI
•			•	13-1606XPI-45
	•	•		13-1606CSI
	•		•	13-1606CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Claw Forceps

Traumatic jaws, single-action, Ø 10 mm, 30 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1605XPI
•			•	13-1605XPI-45
	•	•		13-1605CSI
	•		•	13-1605CSI-45

Recommended use with Ø 10 mm sheath and handle with ratchet

Tenaculum Grasping Forceps

1 x 1 sharp teeth, double-action, Ø 10 mm, 28 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1536XPI
•			•	13-1536XPI-45
	•	•		13-1536CSI
	•		•	13-1536CSI-45

Recommended use with Ø 10 mm sheath and handle with ratchet

Tenaculum Grasping Forceps

1x1 sharp teeth, double-action, Ø 5 mm, **28 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1537XPI
•			•	13-1537XPI-45
	•	•		13-1537CSI
	•		•	13-1537CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Mixer Grasping Forceps

Cross serrated, double-action, Ø 5 mm, **18 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1333XPI
•			•	13-1333XPI-45
	•	•		13-1333CSI
	•		•	13-1333CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Mixer Clamp

45° angled, double-action, Ø 10 mm, **24 mm jaw length**




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1334XPI
•			•	13-1334XPI-45
	•	•		13-1334CSI
	•		•	13-1334CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Mixer Clamp

90° angled, double-action, Ø 10 mm, 25 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1336XPI
•			•	13-1336XPI-45
	•	•		13-1336CSI
	•		•	13-1336CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Mixer Clamp

90° angled, double-action, Ø 5 mm, 26 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1376XPI
•			•	13-1376XPI-45
	•	•		13-1376CSI
	•		•	13-1376CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Glassmann Grasping Forceps

Atraumatic jaws, double-action, Ø 5 mm, 40 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1338XPI
•			•	13-1338XPI-45
	•	•		13-1338CSI
	•		•	13-1338CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Kocher Grasping Forceps

Axial serrations, double-action, Ø 10 mm, **45 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1550XPI
•			•	13-1550XPI-45
	•	•		13-1550CSI
	•		•	13-1550CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

Kocher Grasping Forceps

Axial serrations, double-action, Ø 10 mm, **61 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1555XPI
•			•	13-1555XPI-45
	•	•		13-1555CSI
	•		•	13-1555CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Double-action, Ø 10 mm, **45 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1560XPI
•			•	13-1560XPI-45
	•	•		13-1560CSI
	•		•	13-1560CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Long version, double-action, Ø 10 mm, **60 mm jaw length**




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1565XPI
•			•	13-1565XPI-45
	•	•		13-1565CSI
	•		•	13-1565CSI-45

Recommended use with **Ø 10 mm sheath** and **handle with ratchet**

De Bakey Grasping Forceps

Double-action, Ø 5 mm, **45 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1570XPI
•			•	13-1570XPI-45
	•	•		13-1570CSI
	•		•	13-1570CSI-45

Recommended use with **Ø 5 mm sheath** and **handle with ratchet**

Dissecting Forceps

Strong curved, serrated, double-action, Ø 5 mm, for use with 11 mm trocar, **19 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-0530XPI
•			•	13-0530XPI-45
	•	•		13-0530CSI
	•		•	13-0530CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Soft curved, serrated, single-action, Ø 5 mm, for use with 11 mm trocar, **11 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1304XPI
•			•	13-1304XPI-45
	•	•		13-1304CSI
	•		•	13-1304CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Strong curved, serrated, single-action, Ø 5 mm, **11 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1306XPI
•			•	13-1306XPI-45
	•	•		13-1306CSI
	•		•	13-1306CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Straight, delicate serrated, single-action, Ø 5 mm, **11 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1307XPI
•			•	13-1307XPI-45
	•	•		13-1307CSI
	•		•	13-1307CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Curved, delicate serrated, single-action, Ø 5 mm, 9 mm jaw length




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1308XPI
•			•	13-1308XPI-45
	•	•		13-1308CSI
	•		•	13-1308CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Maryland Dissecting Forceps

Double-action, Ø 5 mm, 21 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1318XPI
•			•	13-1318XPI-45
	•	•		13-1318CSI
	•		•	13-1318CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Maryland Dissecting Forceps

Double-action, Ø 10 mm, 21 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1340XPI
•			•	13-1340XPI-45
	•	•		13-1340CSI
	•		•	13-1340CSI-45

Recommended use with Ø 10 mm sheath and handle w/o ratchet

Maryland Dissecting Forceps

Soft curved, offset, double-action, Ø 5 mm, **17 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1322XPI
•			•	13-1322XPI-45
	•	•		13-1322CSI
	•		•	13-1322CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Maryland Dissecting Forceps

Diamond-serrated, double-action, Ø 10 mm, **25 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1411XPI
•			•	13-1411XPI-45
	•	•		13-1411CSI
	•		•	13-1411CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Maryland Dissecting Forceps

Diamond-serrated, double-action, Ø 5 mm, **21 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1412XPI
•			•	13-1412XPI-45
	•	•		13-1412CSI
	•		•	13-1412CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Maryland - De Bakey Forceps

Curved, atraumatic, double-action, Ø 5 mm, **33 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1317XPI
•			•	13-1317XPI-45
	•	•		13-1317CSI
	•		•	13-1317CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Fenestrated Dissecting Forceps

Double-action, Ø 5 mm, **15 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1345XPI
•			•	13-1345XPI-45
	•	•		13-1345CSI
	•		•	13-1345CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Kelly Dissecting Forceps

Double-action, Ø 5 mm, **15 mm jaw length**




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1419XPI
•			•	13-1419XPI-45
	•	•		13-1419CSI
	•		•	13-1419CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Dissecting Forceps

Delicate, angled, double-action, Ø 5 mm, 18 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1422XPI
•			•	13-1422XPI-45
	•	•		13-1422CSI
	•		•	13-1422CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Needleholder

Cross-serrated, single-action, Ø 5 mm, 9 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1347XPI
•			•	13-1347XPI-45
	•	•		13-1347CSI
	•		•	13-1347CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

Cross-serrated, single-action, Ø 5 mm, 7 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1348XPI
•			•	13-1348XPI-45
	•	•		13-1348CSI
	•		•	13-1348CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

Diamond serrated, blunt, single-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1349XPI
•			•	13-1349XPI-45
	•	•		13-1349CSI
	•		•	13-1349CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

TC inserts, pointed version, single-action, Ø 5 mm, 13 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1351XPI
•			•	13-1351XPI-45
	•	•		13-1351CSI
	•		•	13-1351CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

Pointed version, single-action, Ø 5 mm, 12 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1590XPI
•			•	13-1590XPI-45
	•	•		13-1590CSI
	•		•	13-1590CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Needleholder

Pointed version, single-action, Ø 5 mm, 10 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1595XPI
•			•	13-1595XPI-45
	•	•		13-1595CSI
	•		•	13-1595CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Biopsy Punch

Single-action, Ø 5 mm, 11 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1470XPI
•			•	13-1470XPI-45
	•	•		13-1470CSI
	•		•	13-1470CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Punch

With spike, single-action, Ø 5 mm, 11 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1475XPI
•			•	13-1475XPI-45
	•	•		13-1475CSI
	•		•	13-1475CSI-45

Recommended use with Ø 5 mm sheath and handle with ratchet

Biopsy Punch

Hook style, single-action, Ø 5 mm, 12 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1480XPI
•			•	13-1480XPI-45
	•	•		13-1480CSI
	•		•	13-1480CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Spoon

Single-action, Ø 5 mm, 10 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		11-1645XPI
•			•	11-1645XPI-45
	•	•		11-1645CSI
	•		•	11-1645CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Spoon

Double-action, Ø 5 mm, 10 mm jaw length




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1485XPI
•			•	13-1485XPI-45
	•	•		13-1485CSI
	•		•	13-1485CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Spoon

With spike, double-action, Ø 5 mm, 10 mm jaw length




Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1490XPI
•			•	13-1490XPI-45
	•	•		13-1490CSI
	•		•	13-1490CSI-45

Recommended use with Ø 5 mm sheath and handle w/o ratchet

Biopsy Spoon Forceps

Large version, single-action, Ø 10 mm, 30 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1660XPI
•			•	13-1660XPI-45
	•	•		13-1660CSI
	•		•	13-1660CSI-45

Recommended use with Ø 10 mm sheath and handle w/o ratchet

Blakesley Dissecting & Biopsy Forceps

Fenestrated, single-action, Ø 5 mm, 14 mm jaw length



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1388XPI
•			•	13-1388XPI-45
	•	•		13-1388CSI
	•		•	13-1388CSI-45


Recommended use with Ø 5 mm sheath and handle w/o ratchet



Miniature XPress Lock™ Line

Key Features

- Reliable **quick-lock mechanism** for one-click assembly and disassembly
- Two-piece instrument line for **increased stability and durability** fully compatible with all **XPress Lock™ handles**
- Industry-leading **small diameter of only 2.9 mm** for reduced trauma
- **Complete array** of instrument patterns and jaw designs, including **Mini Ceramix Cut™** coated scissors



... more Features

- Integrated flush port for fast and convenient reprocessing
- Available in working lengths of 200 and 360 mm
- Fully autoclavable
- 360° rotatable with audible and tactile feedback



MINI LAP Miniature Metzenbaum Scissors

Straight, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3005XPI-20
•		•	23-3005XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Metzenbaum Scissors

Serrated, curved, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3010XPI-20
•		•	23-3010XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Scissors

Pointed, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3007XPI-20
•		•	23-3007XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Metzenbaum Scissors

Curved, double-action, Ø 2.9 mm




Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3000XPI-20
•	•	•	23-3000XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Hook Scissors

Single-action, Ø 2.9 mm




Line		Length		Item no.
XPress Lock™	System CS™	200 mm	360 mm	
•	•	•	•	23-3001XPI-20
•	•	•	•	23-3001XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Bowel Grasping Forceps

Fenestrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3082XPI-20
•	•	•	23-3082XPI

Recommended use with **handle with ratchet**

MINI LAP **Miniature Grasping Forceps**

Fenestrated, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™			
•	•		23-3089XPI-20
•		•	23-3089XPI

Recommended use with **handle with ratchet**

MINI LAP **Miniature Pylorus Grasping Forceps**

Fenestrated, in- and outside serrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™			
•	•		23-3092XPI-20
•		•	23-3092XPI

Recommended use with **handle with ratchet**

MINI LAP **Miniature Johan Grasping Forceps**

Large fenestration, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™			
•	•		23-3088XPI-20
•		•	23-3088XPI

Recommended use with **handle with ratchet**

MINI LAP Miniature Croce Olmi Grasping Forceps

Single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3017XPI-20
•	•	•	23-3017XPI

Recommended use with **handle with ratchet**

MINI LAP Miniature Fundus Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3042XPI-20
•	•	•	23-3042XPI

Recommended use with **handle with ratchet**

MINI LAP Miniature Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3015XPI-20
•	•	•	23-3015XPI

Recommended use with **handle with ratchet**

MINILAP Miniature Atraumatic Dissector

Slightly conical, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3030XPI-20
	•	•	23-3030XPI

Recommended use with **handle w/o ratchet**

MINILAP Miniature Dissector

Conical, cross-serrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3032XPI-20
	•	•	23-3032XPI

Recommended use with **handle w/o ratchet**

MINILAP Miniature Duckbill Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3045XPI-20
	•	•	23-3045XPI

Recommended use with **handle w/o ratchet**

MINILAP Miniature Rat Teeth Grasping Forceps

1x2 jaws, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3038XPI-20
	•	•	23-3038XPI

Recommended use with **handle w/o ratchet**

MINILAP Miniature Rat Teeth Grasping Forceps

1x2 jaws, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3039XPI-20
	•	•	23-3039XPI

Recommended use with **handle w/o ratchet**

MINILAP Miniature Maryland Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3025XPI-20
	•	•	23-3025XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Kelly Grasping Forceps

Double-action, long, 10 mm jaw length, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3019XPI-20
•		•	23-3019XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Kelly Grasping Forceps

Double-action, short, 8 mm jaw length, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3020XPI-20
•		•	23-3020XPI

Recommended use with **handle w/o ratchet**

MINI LAP Miniature Cobra Grasping Forceps

Heavily serrated, double, action, Ø 2.9 mm



Line	Length		Item no.
	330 mm	450 mm	
XPress Lock™	•	•	23-3040XPI-20
•		•	23-3040XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Allis Grasping Forceps

Single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3041XPI-20
	•	•	23-3041XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Grasping Forceps

Heavily serrated, double-action, Ø 2.9 mm




Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3035XPI-20
	•	•	23-3035XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Alligator Grasping Forceps

Serrated, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3055XPI-20
	•	•	23-3055XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Alligator Grasping Forceps

Serrated, single-action, Ø 2.9 mm




Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3056XPI-20
•		•	23-3056XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature De Bakey Grasping Forceps

Double-action, single-serration, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3094XPI-20
•		•	23-3094XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Babcock Grasping Forceps

Double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3093XPI-20
•		•	23-3093XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Mixer Clamp

90° angled, double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™			
•	•		23-3023XPI-20
•		•	23-3023XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Claw Forceps

2x3 traumatic jaws, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™			
•	•		23-3037XPI-20
•		•	23-3037XPI

Recommended use with **handle w/o ratchet**

MINI LAP

Miniature Punch

Single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™			
•	•		23-3002XPI-20
•		•	23-3002XPI

Recommended use with **handle w/o ratchet**

MINI LAP **Miniature Needleholder**

TC inserts, straight, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3026XPI-20
	•	•	23-3026XPI

Recommended use with **handle w/o ratchet**

MINI LAP **Miniature Needleholder**

Right-angled, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3027XPI-20
	•	•	23-3027XPI

Recommended use with **handle w/o ratchet**

MINI LAP **Miniature Needleholder**

Left-angled, single-action, Ø 3 mm



Line	Length		Item no.
	200 mm	360 mm	
XPress Lock™	•	•	23-3028XPI-20
	•	•	23-3028XPI

Recommended use with **handle w/o ratchet**

MINILAP

Miniature Biopsy Spoon

Double-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPressLock™			
•	•		23-3050XPI-20
•		•	23-3050XPI

Recommended use with **handle w/o ratchet**

MINILAP

Miniature Biopsy Spoon

Single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPressLock™			
•	•		23-3051XPI-20
•		•	23-3051XPI

Recommended use with **handle w/o ratchet**

MINILAP

Miniature Blakesley Dissecting & Biopsy Forceps

Fenestrated, single-action, Ø 2.9 mm



Line	Length		Item no.
	200 mm	360 mm	
XPressLock™			
•	•		23-3053XPI-20
•		•	23-3053XPI

Recommended use with **handle w/o ratchet**



Hybrid & Single-use Instruments

Contents

Ti Line™ Hybrids / **p. 162 - 165**

Future Lap™ Hybrids / **p. 166 - 169**

Single-use Instruments / **p. 170 - 171**





Ti Line™ Hybrids


Key Features

- **Single-use instrument tip**, combined with a **reusable handle/sheath** assembly has proven to be very economically effective
- **Superior** in terms of **performance and haptics** to most other disposable lap instruments
- Tips with **extended insulation** in order to reduce the risk of alternate site burns and arching



... more Features

- 360° rotatability and exceptional tactility
- Special ball and socket coupling for easy, yet fast and safe assembly
- Full array of jaw patterns
- High-quality ergonomic handles, featuring flushing port and standardized HF-connection
- Available in 330 mm and 450 mm, also accommodating bariatric procedures
- Environmentally friendly



STERILE

Metzenbaum Scissors, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Single-use Metzenbaum scissors , Ti Line™ tip, curved, Ø 5 mm, UOM 10 pcs.	Item no. 13-1469TI-EC
-----------------------------------------------------------------------------------	----------------------------------------

STERILE

Maryland, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Single-use Maryland grasping forceps , Ti Line™ tip, double-action, Ø 5 mm, UOM 10 pcs.	Item no. 13-1318TI-EC
------------------------------------------------------------------------------------------------	----------------------------------------

STERILE

Endoscopic Clinch, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Single-use Endoscopic Clinch grasping forceps , Ti Line™ tip, double-action, Ø 5 mm, UOM 10 pcs.	Item no. 13-1323TI-EC
---------------------------------------------------------------------------------------------------------	----------------------------------------

STERILE

Fenestrated Clamp, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **fenestrated clamp**, Ti Line™ tip, double-action, Ø 5 mm, UOM 10 pcs.

13-1343TI-EC

STERILE

Miniature Metzenbaum Scissors, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **miniature Metzenbaum scissors**, Ti Line™ tip, Ø 5 mm, UOM 10 pcs.

13-1468TI-EC

STERILE

Fenestrated Grasping Forceps, Ti Line™ Tip

For Use with 13-1383TI-(45)EC / 13-1384TI-(45)EC



Item no.

Single-use **fenestrated grasping forceps**, Ti Line™ tip, flat jaws, double-action, Ø 5 mm, UOM 10 pcs.

13-1301TI-EC

Ti Line™ Handle w/o Ratchet

For Use with Ti Line™ Tips



	Length		Item no.
	330 mm	450 mm	
Ti Line™ handle-sheath-assembly without ratchet, blue	•		13-1383TI-EC
Ti Line™ handle-sheath-assembly without ratchet, blue		•	13-1383TI-45EC

Ti Line™ Handle with Ratchet

For Use with Ti Line™ Tips




	Length		Item no.
	330 mm	450 mm	
Ti Line™ handle-sheath-assembly with ratchet, blue	•		13-1384TI-EC
Ti Line™ handle-sheath-assembly with ratchet, blue		•	13-1384TI-45EC

Future Lap™ Hybrids


Key Features

- Combination of a sterile, **single-use sheath/tip** assembly and a fully **reusable handle**, also available in Ø 2.9 mm for Miniature Laparoscopy procedures
- Fully compatible with the System CS™ range of handles further **increasing versatility** and ability to customize
- **Risks can be radically reduced** by exchanging every component with immediate patient contact



... more Features

- Diameters of 3 mm and 5 mm
- Lengths of 330 and 450 mm on request
- Quick, easy and safe assembly due to ball-socket-locking between handle and sheath
- No cleaning and sterilization of the sheath necessary and degradation or even defectiveness of the insulation is almost impossible
- Future Lap™ provides the possibility of combining quality and efficiency, without having to compromise



STERILE

Metzenbaum Scissors, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use Metzenbaum scissors , Future Lap™, curved, Ø 5 mm, UOM 10 pcs.	•		13-1466DDI
Single-use Metzenbaum scissors , Future Lap™, curved, Ø 5 mm, UOM 10 pcs.		•	13-1466DDI-45

STERILE

Miniature Metzenbaum Scissors, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use mini Metzenbaum scissors , Future Lap™, Ø 5 mm, UOM 10 pcs.	•		13-1468DDI
Single-use mini Metzenbaum scissors , Future Lap™, Ø 5 mm, UOM 10 pcs.		•	13-1468DDI-45

STERILE

Endoscopic Clinch, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use Endoscopic Clinch , Future Lap™, double-act., Ø 5 mm, UOM 10 pcs.	•		13-1323DDI
Single-use Endoscopic Clinch , Future Lap™, double-act., Ø 5 mm, UOM 10 pcs.		•	13-1323DDI-45

STERILE

Maryland, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use Maryland , Future Lap™, double-act., Ø 5 mm, UOM 10 pcs.	•		13-1318DDI
Single-use Maryland , Future Lap™, double-act., Ø 5 mm, UOM 10 pcs.		•	13-1318DDI-45

STERILE

Fenestrated Grasping Forceps, Future Lap™ Insert

For Use with System CS™ Handles



	Length		Item no.
	330 mm	450 mm	
Single-use fenestr. grasp. , Future Lap™, flat jaws, d.-act., Ø 5 mm, UOM 10 pcs.	•		13-1301DDI
		•	13-1301DDI-45

MINI-LAP
STERILE

Miniature Metzenbaum Scissors, Future Lap™ Insert

For Use with System CS™ Handles



	Item no.
Miniature single-use Metzenbaum scissors , Future Lap™, curved, Ø 2.9 mm, 330 mm, UOM 10 pcs.	23-3000DDI

MINI LAP
STERILE

Miniature Maryland Grasper, Future Lap™ Insert

For Use with System CS™ Handles



Miniature single-use **Maryland grasping forceps**, Future Lap™, Ø 2.9 mm, 330 mm, UOM 10 pcs.

Item no.
23-3025DDI

MINI LAP
STERILE

Mini Fenestrated Grasping Forceps, Future Lap™ Insert

For Use with System CS™ Handles



Mini single-use **fenestr. grasp. forceps**, Future Lap™, flat jaws, d.-act., Ø 2.9 mm, 330 mm, UOM 10 pcs.

Item no.
23-3082DDI

System CS™ Handles

For Use with Future Lap™ Inserts / System CS™ Inserts and Sheaths

	Length		Item no.
	w/o ratchet	with universal ratchet	
System CS™ handle, blue	•		13-1367CS
System CS™ handle, blue		•	13-1384CS



Single-use Instruments

Key Features

- **One-piece** single-use instrumentation
- Reusable-like feel and performance
- **100%** made in Germany including **sterile packaging**




... more Features

- Solid colour-coded handles
- Standard length of 330 mm, other lengths and designs on request
- High-quality, ergonomic handle with HF-port
- Non-ratchet and ratchet handle available



STERILE

Metzenbaum, Single-use



	Colour coding	Item no.
Single-use Metzenbaum with HF-port, curved, Ø 5 mm, 330 mm, UOM 6 pcs.	●	13-1466DDRH

STERILE


Maryland, Single-use



	Length		Colour coding	Item no.
	330 mm	450 mm		
Single-use Maryland with HF-port, cross-serrated, Ø 5 mm, UOM 6 pcs.	●		●	13-1318DDRH
Single-use Maryland with HF-port, cross-serrated, Ø 5 mm, UOM 6 pcs.		●	●	13-1318DDRH-45

STERILE

Endoscopic Clinch, Single-use



	Handle		Length		Colour coding	Item no.
	330 mm	450 mm	w/o ratchet	with ratchet		
Single-use Endo Clinch, HF-port, Ø 5 mm, UOM 6 pcs.	●		●		●	13-1323DDRH
Single-use Endo Clinch, HF-port, Ø 5 mm, mm, UOM 6 pcs.		●		●	●	13-1323DDRHR
Single-use Endo Clinch, HF-port, Ø 5 mm, UOM 6 pcs.		●		●	●	13-1323DDRHR-45

Bipolar Instruments

Table of Contents

Premium Bipolar Instrument Line / **p. 174 - 179**

Standard Bipolar Instrument Line / **p. 180 - 183**





Premium Bipolar Instruments

Key Features

- **Quick exchange of electrode inserts** for different applications within only a few seconds, also available in $\varnothing 3$ mm for Miniature Laparoscopy procedures
- Enhanced full **360° single finger rotation** results in precise control of the electrode
- Demountable into sheath, insert and handle for **convenient and reliable cleaning and component replacement**



... more Features

- Unique mechanism enables well adjustable opening and closing of the jaws combined with very high pressure while grasping and cutting
- Easy handling
- Standard flat plug with common bipolar cable fitting
- Double-hinge jaw design
- Ergonomic handles made of high quality PEEK polymer
- Diameters of 3 mm with 290 mm WL and 5 mm with 330 and 450 mm WL on request



Bipolar Maryland Grasping Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Maryland grasping forceps , bipolar insert, double-action, Ø 5 mm	•		13-17011
Maryland grasping forceps , bipolar insert, double-action, Ø 5 mm		•	13-17011-45

Bipolar Fenestrated Grasping Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Fenestrated grasping forceps , bipolar insert, double-action, Ø 5 mm	•		13-17021
Fenestrated grasping forceps , bipolar insert, double-action, Ø 5 mm		•	13-17021-45

Bipolar Scissors, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Scissors , bipolar insert, double-action, Ø 5 mm	•		13-17031
Scissors , bipolar insert, double-action, Ø 5 mm		•	13-17031-45

Bipolar Micro Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Micro forceps , bipolar insert, double-action, Ø 5 mm	•		13-1704I
Micro forceps , bipolar insert, double-action, Ø 5 mm		•	13-1704I-45

Bipolar Delta Grasping Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Delta grasping forceps , bipolar insert, double-action, Ø 5 mm	•		13-1705I
Delta grasping forceps , bipolar insert, double-action, Ø 5 mm		•	13-1705I-45

Bipolar Fenestrated Grasping Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Fenestrated grasping forceps , curved, bipolar insert, double-action, Ø 5 mm	•		13-1706I
Fenestrated grasping forceps , curved, bipolar insert, double-action, Ø 5 mm		•	13-1706I-45

Bipolar Claw Forceps, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Claw forceps, bipolar insert, double-action, Ø 5 mm	•		13-17071
Claw forceps, bipolar insert, double-action, Ø 5 mm		•	13-17071-45

Bipolar Duckbill Forceps, Premium Line


For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Duckbill forceps, bipolar insert, double-action, Ø 5 mm	•		13-17081
Duckbill forceps, bipolar insert, double-action, Ø 5 mm		•	13-17081-45

Bipolar Grasping Forceps, Curved, Premium Line

For Use with 13-1700R / 13-1700R-45 and 13-1700SI



	Length		Item no.
	330 mm	450 mm	
Grasping forceps, curved, bipolar insert, double-action, Ø 5 mm	•		13-17091
Grasping forceps, curved, bipolar insert, double-action, Ø 5 mm		•	13-17091-45

MINI LAP

Bipolar Mini Maryland Grasping Forceps, Premium Line

For Use with 23-3090 and 23-3091



Miniature Maryland grasping forceps, bipolar insert, double-action, Ø 3 mm, 290 mm


Item no.

23-3025BP

MINI LAP

Bipolar Mini Fenestrated Grasper, Premium Line

For Use with 23-3090 and 23-3091



Miniature fenestrated grasping forceps, bipolar insert, double-action, Ø 3 mm, 290 mm

Item no.

23-3082BP

MINI LAP

Bipolar Mini Metzenbaum Scissors, Premium Line

For Use with 23-3090 and 23-3091



Miniature Metzenbaum scissors, bipolar insert, double-action, Ø 3 mm, 290 mm

Item no.

23-3000BP

Handles for Bipolar Inserts

For Use with Premium Bipolar Instruments

	Length		Item no.
	for use with 23-3091	for use with 13-1700R(-45)	
Handle for bipolar detachable instruments MINI LAP	•		23-3090
Handle for bipolar detachable instruments		•	13-1700SI



Sheaths for Bipolar Inserts

For Use with Premium Bipolar Instruments



	Diameter		Length			Item no.
	Ø 3 mm	Ø 5 mm	290 mm	330 mm	450 mm	
Sheath for bipolar detachable instruments MINI LAP	•		•			23-3091
Sheath for bipolar detachable instruments		•		•		13-1700R
Sheath for bipolar detachable instruments		•			•	13-1700R-45

Standard Bipolar Instruments

Key Features

- Easy and **quick assembly and disassembly** into handle and insert
- Wide range of **different electrode patterns** available



... more Features

- Simplified cleaning
- Two different handle types available
- By using an adapter connectable to nearly any common HF-unit



Bipolar Fenestrated Forceps, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Forceps , fenestrated, bipolar insert, Ø 5 mm	•		13-1630IW0
Forceps , fenestrated, bipolar insert, Ø 5 mm		•	13-1630IW0-45

Bipolar Scissors, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Scissors , fenestrated, bipolar insert, Ø 5 mm	•		13-1633IW0
Scissors , fenestrated, bipolar insert, Ø 5 mm		•	13-1633IW0-45

Bipolar Forceps, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Forceps , short, wide jaw, bipolar insert, Ø 5 mm	•		13-1634IW0
Forceps , short, wide jaw, bipolar insert, Ø 5 mm		•	13-1634IW0-45

Bipolar Forceps, Bipolar Insert


For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Forceps , wide jaw, bipolar insert, Ø 5 mm	•		13-1635IWO
Forceps , wide jaw, bipolar insert, Ø 5 mm		•	13-1635IWO-45

Bipolar Micro Tip, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Micro tip , bipolar insert, Ø 5 mm	•		13-1640IWO
Micro tip , bipolar insert, Ø 5 mm		•	13-1640IWO-45

Bipolar Forceps, w/o Nose, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Forceps without nose , bipolar insert, Ø 5 mm	•		13-1642IWO
Forceps without nose , bipolar insert, Ø 5 mm		•	13-1642IWO-45

Bipolar Maryland Grasping Forceps, Standard Line

For Use with 13-1647SI / 13-1647SI-45 and 13-1646SI



	Length		Item no.
	330 mm	450 mm	
Maryland grasping forceps, bipolar insert, Ø 5 mm	•		13-1645IWO
Maryland grasping forceps, bipolar insert, Ø 5 mm		•	13-1645IWO-45

Pistol Handle for Bipolar Inserts

For Use with Standard Bipolar Instruments



	Item no.
Pistol handle for bipolar modular forceps	13-1646SI

Slide Handle for Bipolar Inserts

For Use with Standard Bipolar Instruments



	Item no.
Slide handle for bipolar modular forceps	13-1647SI

Endoscopic Clip Appliers & Removers


Table of Contents

Endoscopic Euroclip™ Appliers / **p. 186 - 187**

Endoscopic VeSeal™ Appliers / **p. 188 -189**

Endoscopic Polymer Clip Appliers & Removers / **p. 190 - 191**





Europclip™ Endo Surgery Appliers

Key Features

- Solid **double-action jaw mechanism** for extremely precise and reliable closing action
- **Diamond dusted** jaws for maximum clip grip
- Multiple **handle options** to meet every physicians preference
- **No backlash** when activated in addition to tightly tolerated jaw dimensions




... more Features

- Flush port for validated cleaning and reprocessing
- 360° color coded rotating knob with audio and tactile feedback
- Perfectly weight-balanced
- Bariatric instruments available on request



Pistol Handle Appliers for Endo Surgery



Description	Diameter	Color coding	Item no.
	Ø 5 mm Ø 10 mm Ø 12.5 mm		
Endo Appliers for small Europclips™, pistol handle, rotatable, 330 mm	•	●	13-1613-105AS
Endo Appliers for medium Europclips™, pistol handle, rotatable, 330 mm	•	●	13-1610AS
Endo Appliers for medium-large Europclips™, pistol handle, rotatable, 330 mm	•	●	13-1615AS
Endo Appliers for large Europclips™, pistol handle, rotatable, 330 mm	•	●	13-1613-106AS

Townsend Handle Appliers for Endo Surgery




Description	Diameter	Color coding	Item no.
	Ø 5 mm Ø 10 mm Ø 12.5 mm		
Endo Appliers for small Europclips™, townsend handle, rotatable, 330 mm	•	●	13-1613-105A
Endo Appliers for medium Europclips™, townsend handle, rotatable, 330 mm	•	●	13-1610A
Endo Appliers for medium-large Europclips™, townsend h., rotatable, 330 mm	•	●	13-1615A
Endo Appliers for large Europclips™, townsend handle, rotatable, 330 mm	•	●	13-1613-106A

VeSeal™ Endo Surgery Appliers

Key Features

- Solid **double-action jaw mechanism** for extremely precise and reliable closing action
- Precision milled **grooves** inside the jaw for perfect clip fitting
- **No backlash** when activated in addition to tightly tolerated jaw dimensions
- Ergonomic handle design




... more Features

- Flush port for validated cleaning and reprocessing
- 360° color coded rotating knob with audio and tactile feedback
- Perfectly weight-balanced
- Bariatric instruments available on request



Townsend Handle Appliers for Endo Surgery





Description	Diameter			Color coding	Item no.
	Ø 7 mm	Ø 10 mm	Ø 12.5 mm		
Endo Appliers for small VeSeal™ clips, townsend handle, rot., demountable, 330 mm	•			●	13-1613-102
Endo Appliers for medium VeSeal™ clips, townsend handle, rot., demountable, 330 mm		•		○	13-1613-103
Endo Appliers for medium-large VeSeal™ clips, townsend handle, rot., dem., 330 mm		•		●	13-1613
Endo Appliers for large VeSeal™ clips, townsend handle, rot., demountable, 330 mm			•	●	13-1613-104

Polymer Clip Endo Surgery Appliers


Key Features

- **Unique thumb-operated locking mechanism** integrated into the handle to prevent unintentional clip closure during travel inside the abdomen
- Complete range of Endoscopic appliers and clip removers
- **No backlash** when activated in addition to tightly tolerated jaw dimensions
- Ergonomic handle design



... more Features

- Flush port for validated cleaning and reprocessing
- 360° color coded rotating knob with audio and tactile feedback
- Perfectly weight-balanced
- Bariatric instruments available on request




Townsend Handle Appliers for Endo Surgery



Description	Diameter		Color coding	Item no.
	Ø 5 mm	Ø 10 mm		
Endo Appliers for medium-large polyclips, towns.handle, rotatable, 330 mm	•		●	13-1615AS-P
Endo Appliers for large polyclips, townsend handle, rotatable, 330 mm		•	●	13-1613-106AS-P
Endo Appliers for extra-large polyclips, townsend handle, rotatable, 330 mm		•	●	13-1613-108AS-P

How to use the Endoscopic Clip Appliers



Townsend Handle Removers for Endo Surgery



Description	Item no.
Remover for medium, medium-large and large polymer clips, Ø 5 mm, 330 mm	13-1613PR
Remover for large and extra-large polymer clips, Ø 10 mm, 330 mm	13-1615PR

Speciality Instruments

Table of Contents

System ADG™ & System DG™ / **p. 194 - 196**

Needleholders / **p. 198 - 205**

Retractors / **p. 206 - 210**

Other Speciality Instruments / **p. 211 - 212**






System ADG™ & DG™

Key Features

- **Excellent** tissue grasping control
- **Atraumatic wave or retraction jaws** in single- or double-action design
- One-piece instrument with **slide ratchet**



... more Features

- Rotatable (System ADG™) or non-rotatable (System DG™) instrument line with cleaning port
- 5 mm sheath diameter
- With 330 mm or 450 mm working length for Standard Laparoscopy and 260 mm or 450 mm working length for Miniature Laparoscopy
- Flush port for easy and convenient reprocessing



System ADG™ Wave Grasping Forceps, Rotatable

Single-action Jaws



	Length		Item no.
	360 mm	450 mm	
Wave grasper with slide ratchet, flushable, single-action, rotatable, Ø 5 mm	•		13-1381ADG
Wave grasper with slide ratchet, flushable, single-action, rotatable, Ø 5 mm		•	13-1381ADG-45

System ADG™ Wave Grasping Forceps, Rotatable

Double-action Jaws



	Length		Item no.
	360 mm	450 mm	
Wave grasper with slide ratchet, flushable, double-action, rotatable, Ø 5 mm	•		13-1375ADG
Wave grasper with slide ratchet, flushable, double-action, rotatable, Ø 5 mm		•	13-1375ADG-45

System ADG™ Retraction Forceps, Rotatable




	Length		Item no.
	360 mm	450 mm	
Retraction forceps with slide ratchet, flushable, rotatable, Ø 5 mm	•		13-1380ADG
Retraction forceps with slide ratchet, flushable, rotatable, Ø 5 mm		•	13-1380ADG-45

System DG™ Wave Grasping Forceps



	Length		Item no.
	360 mm	450 mm	
Wave grasper with slide ratchet, flushable, single-action, Ø 5 mm	•		13-1381DG
Wave grasper with slide ratchet, flushable, single-action, Ø 5 mm		•	13-1381DG-45

System DG™ Wave Grasping Forceps



	Length		Item no.
	360 mm	450 mm	
Wave grasper with slide ratchet, flushable, double-action, Ø 5 mm	•		13-1375DG
Wave grasper with slide ratchet, flushable, double-action, Ø 5 mm		•	13-1375DG-45

System DG™ Retraction Forceps



	Length		Item no.
	360 mm	450 mm	
Retraction forceps with slide ratchet, flushable, Ø 5 mm	•		13-1380DG
Retraction forceps with slide ratchet, flushable, Ø 5 mm		•	13-1380DG-45



Axial Needleholders

Key Features

- Extremely light-weight and ergonomic **aluminum handles**
- Total weight of **under 120 g**
- **Maneuverability is enhanced** while reducing fatigue
- Unique overload protection to **avoid needle breakage**
- Also available in **Ø 3 mm for Miniature Laparoscopy** procedures



... more Features

- Adjustable ratchet
- Despite its weight very robust and durable
- Instrument cleaning port
- 5 mm sheath diameter
- With 330 mm or 450 mm working length for Standard Laparoscopy and 200 mm or 360 mm working length for Miniature Laparoscopy



Axial Needleholders, Straight Jaws




	Length		Item no.
	330 mm	450 mm	
Axial needleholder , straight jaws, angled handle, Ø 5 mm	•		13-1591P
Axial needleholder , straight jaws, angled handle, Ø 5 mm		•	13-1591P-45

Axial Needleholders, Right Curved Jaws




	Length		Item no.
	330 mm	450 mm	
Axial needleholder , right curved jaws, angled handle, Ø 5 mm	•		13-1593P
Axial needleholder , right curved jaws, angled handle, Ø 5 mm		•	13-1593P-45

Axial Needleholders, Left Curved Jaws




	Length		Item no.
	330 mm	450 mm	
Axial needleholder , left curved jaws, angled handle, Ø 5 mm	•		13-1594P
Axial needleholder , left curved jaws, angled handle, Ø 5 mm		•	13-1594P-45

Axial Needleholders, Self-uprighting Jaws




	Length		Item no.
	330 mm	450 mm	
Axial needleholder , self-upright. jaws, angled handle, Ø 5 mm	•		13-1590PSFU
Axial needleholder , self-upright. jaws, angled handle, Ø 5 mm		•	13-1590PSFU-45

MINI LAP Miniature Axial Needleholders, Straight Jaws



	Length		Item no.
	200 mm	360 mm	
Miniature axial needleholder , straight jaws, angled handle, Ø 3 mm	•		23-3026P-20
Miniature axial needleholder , straight jaws, angled handle, Ø 3 mm		•	23-3026P

MINI LAP Miniature Axial Needleholders, Right Curved Jaws



	Length		Item no.
	200 mm	360 mm	
Miniature axial needleholder , right curved jaws, angled handle, Ø 5 mm	•		23-3027P-20
Miniature axial needleholder , right curved jaws, angled handle, Ø 5 mm		•	23-3027P

MINI LAP

Miniature Axial Needleholders, Left Curved Jaws




	Length		Item no.
	200 mm	360 mm	
Miniature axial needleholder, left curved jaws, angled handle, Ø 3 mm	•		23-3028P-20
Miniature axial needleholder, left curved jaws, angled handle, Ø 3 mm		•	23-3028P

ETH Needleholders

Key Features

- **Integrated locking mechanism** with automated spring action for precise adjustment and controlled tensioning
- Unique overload protection to **avoid needle breakage**
- Ergonomic **axial handle**
- To be used with any **industry-standard surgical needle**



STAINLESS
STEEL



CLEANING
CHANNEL



VARIOUS
LENGTHS



5
mm
DIAMETER



ERGONOMIC



AXIAL
HANDLE

... more Features

- Self-uprighting needleholder available
- Instrument cleaning port
- 5 mm sheath diameter
- Available in 330 mm or 450 mm working length
- Break-proof stainless steel



ETH Needleholders, Straight Jaws



	Length		Item no.
	330 mm	450 mm	
ETH needleholder, straight jaws, Ø 5 mm	•		13-1591ET
ETH needleholder, straight jaws, Ø 5 mm		•	13-1591ET-45

ETH Needleholders, Right Curved Jaws



	Length		Item no.
	330 mm	450 mm	
ETH needleholder, right curved jaws, Ø 5 mm	•		13-1593ET
ETH needleholder, right curved jaws, Ø 5 mm		•	13-1593ET-45

ETH Needleholders, Left Curved Jaws




	Length		Item no.
	330 mm	450 mm	
ETH needleholder, left curved jaws, Ø 5 mm	•		13-1594ET
ETH needleholder, left curved jaws, Ø 5 mm		•	13-1594ET-45

ETH Needleholders, Self-uprighting Jaws




	Length		Item no.
	330 mm	450 mm	
ETH needleholder, self-uprighting jaws, Ø 5 mm	•		13-1590ETSFU
ETH needleholder, self-uprighting jaws, Ø 5 mm		•	13-1590ETSFU-45

Three-Piece Modular Needleholder



Set Components	Item no.
System CS™ Needleholder, pointed version, single-action, 12 mm jaw length, Ø 5 mm, 330 mm	13-1590CSI
+ Sheath for System CS™ inserts, Ø 5 mm, 330 mm	13-1356CS
+ Axial handle for System CS™	13-1358AXDI


MINILAP Miniature Needleholders, Straight Jaws



	Length		Item no.
	200 mm	330 mm	
Miniature needleholder, straight jaws, axial handle, Ø 3 mm	•		23-3026AX-20
Miniature needleholder, straight jaws, axial handle, Ø 3 mm		•	23-3026AX

MINI LAP


Miniature Needleholders, Right Curved Jaws



	Length		Item no.
	200 mm	330 mm	
Miniature needleholder, righttt curved jaws, axial handle, Ø 3 mm	•		23-3027AX-20
Miniature needleholder, right curved jaws, axial handle, Ø 3 mm		•	23-3027AX

MINI LAP

Miniature Needleholders, Left Curved Jaws



	Length		Item no.
	200 mm	330 mm	
Miniature needleholder, left curved jaws, axial handle, Ø 3 mm	•		23-3028AX-20
Miniature needleholder, left curved jaws, axial handle, Ø 3 mm		•	23-3028AX

Snake Retractors

Key Features

- Create a large and highly atraumatic surface to **safely retract organs and other fragile tissue** simply by turning the actuating knob on the handle
- May also be used for **adjustable gastric banding**



... more Features

- 5 mm sheath diameter at 340 and 450 mm working lengths
- Break-proof stainless steel
- Instrument flush port allows for convenient and safe cleaning



Snake Retractors, Triangular, Angled in Sheath




	Working length		Total length		Item no.
	60 mm	80 mm	340 mm	450 mm	
Snake retractor, triangular, angled in sheath, Ø 5 mm		•	•		13-1665
Snake retractor, triangular, angled in sheath, Ø 5 mm		•		•	13-1665-45
Snake retractor, triangular, angled in sheath, Ø 5 mm	•		•		13-1665-6
Snake retractor, triangular, angled in sheath, Ø 5 mm	•			•	13-1665-6-45

Snake Retractors, Triangular, Straight in Sheath



	Working length			Total length		Item no.
	60 mm	80 mm	120 mm	340 mm	450 mm	
Snake retractor, triangular, straight in sheath, Ø 5 mm		•		•		13-1666
Snake retractor, triangular, straight in sheath, Ø 5 mm		•			•	13-1666-45
Snake retractor, triangular, straight in sheath, Ø 5 mm	•			•		13-1666-6
Snake retractor, triangular, straight in sheath, Ø 5 mm	•				•	13-1666-6-45
Snake retractor, triangular, straight in sheath, Ø 5 mm			•	•		13-1666-12
Snake retractor, triangular, straight in sheath, Ø 5 mm			•		•	13-1666-12-45

Snake Retractors, Straight in Sheath



	Type			Length		Item no.
	straight	curved right	curved left	340 mm	450 mm	
Snake retractor, straight in sheath, Ø 5 mm	•			•		13-1667
Snake retractor, straight in sheath, Ø 5 mm	•				•	13-1667-45
Snake retractor, straight in sheath, Ø 5 mm		•		•		13-1667R
Snake retractor, straight in sheath, Ø 5 mm		•			•	13-1667R-45
Snake retractor, straight in sheath, Ø 5 mm			•	•		13-1667L
Snake retractor, straight in sheath, Ø 5 mm			•		•	13-1667L-45

Snake Retractors, Straight, Angled in Sheath




	Item no.
Snake retractor, straight, angled in sheath, Ø 5 mm, 340 mm	13-1661

Snake Retractors, Circular




	Sheath type		Item no.
	straight	angled	
Snake retractor, circular, Ø 5 mm, 340 mm	•		13-1662
Snake retractor, circular, Ø 5 mm, 340 mm		•	13-1663

Snake Retractors, Hooked



	Type		Item no.
	curved right	curved left	
Snake retractor, hooked, Ø 5 mm, 340 mm	•		13-1664R
Snake retractor, hooked, Ø 5 mm, 340 mm		•	13-1664L

Fan Retractors



	Type			Total length		Item no.
	straight	curved	angled	350 mm	450 mm	
Fan retractor, Ø 5 mm	•			•		13-1670
Fan retractor, Ø 5 mm		•		•		13-1675
Fan retractor, Ø 5 mm		•			•	13-1675-45
Fan retractor, Ø 5 mm			•	•		13-1677

Finger Retractors, Angled Fan, Deflectable



	Diameter		Type		Total length		Item no.
	Ø 5 mm	Ø 10 mm	3-Finger	5-Finger	330 mm	450 mm	
Finger retractor, deflectable	•		•		•		13-1671
Finger retractor, deflectable	•		•			•	13-1671-45
Finger retractor, deflectable		•		•	•		13-1672
Finger retractor, deflectable		•		•		•	13-1672-45

Finger Retractors, Straight Fan, Deflectable



	Diameter		Type		Item no.
	Ø 5 mm	Ø 10 mm	3-Finger	5-Finger	
Finger retractor, straight fan, deflectable, 330 mm	•		•		13-1671S
Finger retractor, straight fan, deflectable, 330 mm		•		•	13-1672S

Esophageal Retractors




	Diameter		Total length		Item no.
	Ø 5 mm	Ø 10 mm	330 mm	450 mm	
Esophageal retractor for application of gastric band	•		•		13-1668
Esophageal retractor for application of gastric band		•	•		13-1668-10
Esophageal retractor for application of gastric band		•		•	13-1668-10-45

Hourlay Finger Retractor



	Item no.
Hourlay finger retractor, Ø 10 mm, 330 mm	13-1669

Connector Luer-Lock / Tube




	Item no.
Connector luer-lock/tube with stopcock	13-1355LLVLV

LL Injection Needles



	Diameter		Length			Item no.
	Ø 2.8 mm	Ø 5 mm	260 mm	330 mm	450 mm	
Injection needle (Ø 0.9 mm / 19 gauge) with Luer Lock		•		•		13-1619-19G
Injection needle (Ø 0.9 mm / 19 gauge) with Luer Lock		•			•	13-1619-45-19G
Injection needle (Ø 1.2 mm / 18 gauge) with Luer Lock MINI LAP	•			•		13-1619-3
Injection needle (Ø 1.5 mm / 16 gauge) with Luer Lock		•	•			13-1619-26
Injection needle (Ø 1.5 mm / 16 gauge) with Luer Lock		•		•		13-1619
Injection needle (Ø 1.5 mm / 16 gauge) with Luer Lock		•			•	13-1619-45

Cholangiogram Instrument



	Item no.
Cholangiogram forceps with ratchet, Ø 5 mm, 330 mm	11-1249

Knot Pushers




	Diameter		Type		Total length		Item no.
	Ø 3 mm	Ø 5 mm	open eyelet	slot	330 mm	450 mm	
Knot pusher MINI LAP	•		•		•		13-1617-3
Knot pusher		•	•		•		13-1617
Knot pusher		•	•			•	13-1617-45
Knot pusher		•		•	•		13-1617SL
Knot pusher		•		•		•	13-1617SL-45

Palpation Probes



	Diameter		Length		Item no.
	Ø 3 mm	Ø 5 mm	330 mm	450 mm	
Graduated palpation probe MINI LAP	•		•		10-1110-3
Graduated palpation probe		•	•		10-1110
Graduated palpation probe		•		•	10-1110-45

Anvil Grasping Forceps



	Length		Item no.
	330 mm	450 mm	
Anvil grasper, Ø 10 mm	•		13-1599A
Anvil grasper, Ø 10 mm		•	13-1599A-45

Ring Applicators

Incl. cone (13-1618-200) and loading device (13-1618-300)




	Diameter		Length		For use with			Item no.
	Ø 6 mm	Ø 6.5 mm	330 mm	400 mm	instrument bridge	scope	trocac sleeve	
Ring applicator	•			•	•			13-1618
Ring applicator	•		•			•		13-16180V
Ring applicator		•	•				•	13-1618TR

Connecting Cables

Table of Contents


Monopolar Cables / **p. 216**

Bipolar Cables / **p. 216**







Monopolar Cables

	Generator side					Item no.
	Ø 4 mm Ackermann / Erbe T ¹ / Martin ¹ / Berchthold ¹		Ø 5 mm Erbe ACC ¹ / ICC-VIO ¹	Ø 8 mm Bovie ¹ / Valleylab ¹ / Conmed ¹	Ø 4 mm ACM ¹ / Martin ¹ / Berchthold ¹ / Aesculap ¹	
Ø 4 mm instrument side, round plug  for monopolar lap instruments and electrodes	3 m length	5 m length	3 m length	3 m length	3 m length	11-1260
	•					11-1260-5
		•				11-1261
			•			11-1262
				•	•	11-1263

Bipolar Cables


	Generator side				Item no.
	2-Banana		Storz ¹ / Erbe ¹	Martin ¹ / Berchthold ¹	
EU Flat plug instrument side, square plug  for premium bipolar instruments and electrodes	3 m length	5 m length	3 m length	3 m length	13-1641
	•				13-1641-5
		•			13-1643
			•		13-1644
MIC plug instrument side, round plug  for standard bipolar instruments	3 m length	5 m length	3 m length	3 m length	13-1641BPW
	•				13-1641-5BPW
		•			13-1643BPW
			•		13-1644BPW




Lap Containers

Table of Contents

Lap Containers & Accessories / **p. 220 - 222**





1/1 Lap Instrument Container with Rack and Mat



		Item no.
1/1 Container with lap instrument rack and silicone mat, 580 x 280 x 260 mm		15-1694
includes	1/1 Container, bottom non-perforated, silver lid, 580 x 280 x 260 mm	15-1694L
and	Container inlay for endoscopes, 420 x 250 x 45 mm	15-1694I
and	Container silicone mat, blue, 520 x 230 mm	15-1694SI

1/1 Lap Instrument Container, Small








	Item no.
1/1 Container , bottom non-perforated, silver lid, 580 x 280 x 100 mm	15-1694S

1/1 Lap Instrument Container, Large



	Item no.
1/1 Container , bottom non-perforated, silver lid, 580 x 280 x 260 mm	15-1694L

Accessories for Lap and Endoscope Containers

	For container			Item no.	
	1/1	3/4	1/2		
Container wire basket , 535 x 250 x 70mm	•			15-1694B	
Container wire basket with instrument rack for up to 5 x Ø 5 mm and up to 4 x Ø 10 mm instruments, 535 x 250 x 70 mm	•			15-1694BR	
Paper filters , UOM 100 pcs.	•	•	•	15-1694F	
Filter retainer	•	•	•	15-1694FR	
Container instrument rack for up to 10 x Ø 5 mm / Ø 10 mm instruments, 515 x 250 x 165 mm	•			15-1694I	
Additional instrument holder for up 10 x Ø 5 mm / Ø 10 mm instruments, use with 15-1694I	•			15-1694I-100	
Container silicone mat , blue, 520 x 230 mm	•			15-1694SI	

Endoscope Container with Silicone Mounting



	Dimensions		Item no.
	470 x 80 x 74 mm	270 x 70 x 65 mm	
Endoscope container , perforated, with silicone mounting	•		15-1691
Endoscope container , perforated, with silicone mounting		•	15-1692

Endoscope Wire Basket with Lid and Scope Fixation



	Dimensions		Item no.
Endoscope wire basket with lid and scope fixation	460 x 80 x 52 mm	670 x 80 x 52 mm	15-1697-100
Endoscope wire basket with lid and scope fixation			15-1697-200

Plastic Endoscope Sterilization Case



	Item no.
Plastic sterilization case for endoscopes, 470 x 100 x 70 mm	15-1695

Accessories for Endoscope Plastic Sterilization Case

	Item no.
Safety seals for 15-1695, UOM 1.000 pcs.	15-1695-100
Sterilization seals for 15-1695, UOM 1.000 pcs.	15-1695-200
Permanent filter set for 15-1695	15-1695F



Alphanumeric Index

Item Numbers at a Glance

Numeric Item #					
10-1002	29, 52	10-1029	37	10-1090	50, 53
10-1002-100	36	10-1030	37	10-1096	18
10-1002-150	10	10-1030-12,5	37	10-1098	31
10-1002-200	37	10-1031	37	10-1098S	31
10-1002-300	37	10-1032	37	10-1100	20, 50
10-1002-400	37	10-1033	39, 52	10-1105	7, 9, 11, 15, 17, 22, 50
10-1002BODY	37	10-1034	6, 8, 14, 43, 52	10-1110	9, 212
10-1002THC	29, 52	10-1034-150	10	10-1110-3	212
10-1008-100	37	10-1034BL	16, 43, 52	10-1110-45	212
10-1012	29, 53	10-1035	20, 22, 43, 53	10-1111	50
10-1012-12,5	29, 53	10-1036	39, 53	10-1113	47
10-1012-12,5-100	36	10-1037	39, 53	10-1114	7, 9, 12, 47
10-1012-12,5-200	37	10-1044	6, 8, 14, 22, 43, 53	10-1115	14, 16, 20, 22, 27, 52
10-1012-12,5-400	37	10-1044-150	10	10-1115-200	37
10-1012-12,5BODY	37	10-1044BL	16, 43, 53	10-1115-400	37
10-1012-12,5THC	29, 53	10-1045	43, 53	10-1115BODY	37
10-1012-100	36	10-1046	39, 53	10-1115THC	6, 8, 27, 52
10-1012-150	10	10-1047	39, 53	10-1116	14, 16, 22, 27, 53
10-1012-200	37	10-1047-12,5	39, 53	10-1116-200	37
10-1012-300	37	10-1048	39, 53	10-1116-400	37
10-1012-400	37	10-1049	14, 43, 53	10-1116-400	37
10-1012BODY	37	10-1049BL	43, 53	10-1116BODY	37
10-1012THC	29, 53	10-1050	43, 53	10-1116THC	6, 8, 27, 53
10-1013-100	37	10-1051	39, 53	10-1117	14, 27, 53
10-1014	36	10-1053	39, 53	10-1117-200	37
10-1014NT	36	10-1067	31	10-1117-400	37
10-1017	36	10-1067-05	31	10-1117BODY	37
10-1017-12,5	36	10-1067-501	31	10-1117THC	27, 53
10-1017NT	36	10-1067-502	31	11-1120	58
10-1017NT-125	36	10-1067-505	31	11-1120-45HD	57
10-1018	36	10-1067-506	31	11-1120-45UHD	57
10-1019	36	10-1068	40, 53	11-1120HD	57
10-1019-12,5	36	10-1069	40, 53	11-1120UHD	20, 57
10-1021-101	14, 49, 53	10-1069-12,5	40, 53	11-1121	63
10-1021-102	49, 53	10-1070	49	11-1125	58
10-1021-201	6, 8, 10, 14, 49, 53	10-1070-3	49, 53	11-1125-45HD	57
		10-1075	6, 10, 49, 53	11-1125-45UHD	57
		10-1085	50, 53	11-1125HD	57

11-1125UHD	22, 57	11-1175-45	11, 71	11-1237-100	89
11-1126	58	11-1175C	69	11-1237-100-45	89
11-1126-45HD	57	11-1175C-45	69	11-1237-200	89
11-1126-45UHD	57	11-1178	76	11-1237-300	89
11-1126HD	57	11-1178-45	76	11-1237-400	17, 90
11-1126UHD	57	11-1179	18, 77	11-1237-500	90
11-1130	58	11-1179-45	77	11-1237-600	90
11-1130-45HD	57	11-1180	71	11-1237-700	21, 23, 89
11-1130-45UHD	10, 57	11-1180-45	71	11-1237-800	89
11-1130HD	57	11-1181	77	11-1238	88, 89
11-1130UHD	6, 16, 57	11-1181-45	77	11-1249	211
11-1135	58	11-1182	77	11-1260	7, 9, 12, 15, 18, 216
11-1135-45	58	11-1182-45	77	11-1260-5	216
11-1135HD	57	11-1184	18, 78	11-1261	21, 23, 216
11-1135UHD	8, 14, 22, 57	11-1184-45	78	11-1262	216
11-1136	58	11-1185	71	11-1263	216
11-1136HD	57	11-1185-45	71	11-1276	87
11-1136UHD	57	11-1185C	69	11-1277	87
11-1140	61	11-1185C-45	69	11-1278	87
11-1145	61	11-1186	78	11-1278-3	87
11-1146-100	6, 8, 10, 14, 16, 20, 22, 64	11-1186-45	78	11-1279	87
11-1146-200	64	11-1187	78	11-1645CSI	143
11-1146-300	64	11-1187-45	78	11-1645CSI-45	143
11-1147-100	6, 8, 10, 14, 16, 20, 22, 64	11-1188	72	11-1645XPI	143
11-1147-200	64	11-1188-45	72	11-1645XPI-45	143
11-1147-300	64	11-1190	80	11-16000CB	64
11-1147-400	64	11-1191	81	11-16000CBOLY	64
11-1150	63	11-1192	81	11-16000CBWOL	64
11-1151	63	11-1193	81	13-0530CSI	135
11-1152	63	11-1200	18, 72	13-0530CSI-45	135
11-1161	6, 8, 10, 14, 16, 20, 22, 63	11-1200-45	72	13-0530XPI	15, 135
11-1167	63	11-1205	72	13-0530XPI-45	135
11-1168	63	11-1205-45	72	13-1300CSI	113
11-1170	9, 70	11-1210	73	13-1300CSI-45	113
11-1170-45	70	11-1210-45	73	13-1300XPI	113
11-1170C	69	11-1235	7, 9, 85	13-1300XPI-45	113
11-1170C-45	69	11-1235-100	85	13-1301CSI	110
11-1171	79	11-1235-100-45	11	13-1301CSI-45	110
11-1173	17, 79	11-1235-101	85	13-1301DDI	168
11-1174	79	11-1235-102	11, 85	13-1301DDI-45	168
11-1175	7, 9, 71	11-1236	15, 17, 21, 23, 88, 89, 90	13-1301TI-EC	164
		11-1236COM	88	13-1301XPI	110
		11-1237	15, 17, 88, 89	13-1301XPI-45	110
				13-1302CSI	114

13-1302CSI-45	114	13-1313CSI	112	13-1325XPI	119
13-1302XPI	8, 114	13-1313CSI-45	112	13-1325XPI-45	119
13-1302XPI-45	11, 114	13-1313XPI	112	13-1326CSI	120
13-1303CSI	114	13-1313XPI-45	112	13-1326CSI-45	120
13-1303CSI-45	114	13-1315CSI	117	13-1326XPI	14, 120
13-1303XPI	114	13-1315CSI-45	117	13-1326XPI-45	120
13-1303XPI-45	114	13-1315XPI	117	13-1327CSI	119
13-1304CSI	136	13-1315XPI-45	117	13-1327CSI-45	119
13-1304CSI-45	136	13-1316CSI	118	13-1327XPI	119
13-1304XPI	136	13-1316CSI-45	118	13-1327XPI-45	119
13-1304XPI-45	136	13-1316XPI	118	13-1328CSI	123
13-1305CSI	116	13-1316XPI-45	118	13-1328CSI-45	123
13-1305CSI-45	116	13-1317CSI	139	13-1328XPI	123
13-1305XPI	116	13-1317CSI-45	139	13-1328XPI-45	123
13-1305XPI-45	116	13-1317XPI	139	13-1329CSI	120
13-1306CSI	136	13-1317XPI-45	139	13-1329CSI-45	120
13-1306CSI-45	136	13-1318CSI	137	13-1329XPI	120
13-1306XPI	136	13-1318CSI-45	137	13-1329XPI-45	120
13-1306XPI-45	136	13-1318DDI	168	13-1330CSI	115
13-1307CSI	136	13-1318DDI-45	168	13-1330CSI-45	115
13-1307CSI-45	136	13-1318DDRH	171	13-1330XPI	115
13-1307XPI	136	13-1318DDRH-45	171	13-1330XPI-45	115
13-1307XPI-45	136	13-1318TI-EC	163	13-1331CSI	125
13-1308CSI	137	13-1318XPI	6, 8, 137	13-1331CSI-45	125
13-1308CSI-45	137	13-1318XPI-45	137	13-1331XPI	125
13-1308XPI	137	13-1322CSI	138	13-1331XPI-45	125
13-1308XPI-45	137	13-1322CSI-45	138	13-1332CSI	128
13-1309CI	97, 107	13-1322XPI	138	13-1332CSI-45	128
13-1309CI-45	97, 107	13-1322XPI-45	138	13-1332XPI	128
13-1309CSI	107	13-1323CSI	111	13-1332XPI-45	128
13-1309CSI-45	107	13-1323CSI-45	111	13-1333CSI	132
13-1309XPI	107	13-1323DDI	167	13-1333CSI-45	132
13-1309XPI-45	107	13-1323DDI-45	167	13-1333XPI	132
13-1310CSI	116	13-1323DDRH	171	13-1333XPI-45	132
13-1310CSI-45	116	13-1323DDRHR	171	13-1334CSI	132
13-1310XPI	116	13-1323DDRHR-45	171	13-1334CSI-45	132
13-1310XPI-45	116	13-1323TI-EC	163	13-1334XPI	132
13-1311CSI	112	13-1323XPI	6, 111	13-1334XPI-45	132
13-1311CSI-45	112	13-1323XPI-45	11, 111	13-1335CSI	115
13-1311XPI	112	13-1324CSI	118	13-1335CSI-45	115
13-1311XPI-45	112	13-1324CSI-45	118	13-1335XPI	115
13-1312CSI	112	13-1324XPI	118	13-1335XPI-45	115
13-1312CSI-45	112	13-1324XPI-45	118	13-1336CSI	133
13-1312XPI	6, 16, 112	13-1325CSI	119	13-1336CSI-45	133
13-1312XPI-45	10, 112	13-1325CSI-45	119	13-1336XPI	133

13-1336XPI-45	133	13-1347XPI-45	140	13-1367XP	6, 7, 8, 9, 10, 11, 14, 15, 16, 17, 20, 21, 22, 23, 95
13-1337CSI	121	13-1348CSI	140	13-1368CS	101
13-1337CSI-45	121	13-1348CSI-45	140	13-1368FRIGELB	101
13-1337XPI	121	13-1348XPI	140	13-1368FRIGRUEN	101
13-1337XPI-45	121	13-1348XPI-45	140	13-1368FRIROT	101
13-1338CSI	133	13-1349CSI	141	13-1368RCFI	101
13-1338CSI-45	133	13-1349CSI-45	141	13-1368XP	6, 8, 9, 10, 11, 14, 15, 16, 17, 95
13-1338XPI	133	13-1349XPI	141	13-1369CS	102
13-1338XPI-45	133	13-1349XPI-45	141	13-1369FRIGELB	102
13-1339CSI	123	13-1350CSI	121	13-1369FRIGRUEN	102
13-1339CSI-45	123	13-1350CSI-45	121	13-1369FRIROT	102
13-1339XPI	123	13-1350XPI	16, 121	13-1369RCFI	102
13-1339XPI-45	123	13-1350XPI-45	121	13-1369XP	20, 22, 95
13-1340CSI	137	13-1351CSI	141	13-1375ADG	195
13-1340CSI-45	137	13-1351CSI-45	141	13-1375ADG-45	195
13-1340XPI	15, 137	13-1351XPI	141	13-1375CSI	128
13-1340XPI-45	137	13-1351XPI-45	141	13-1375CSI-45	128
13-1341CSI	125	13-1353CSI	113	13-1375DG	196
13-1341CSI-45	125	13-1353CSI-45	113	13-1375DG-45	196
13-1341XPI	125	13-1353XPI	113	13-1375XPI	8, 128
13-1341XPI-45	125	13-1353XPI-45	113	13-1375XPI-45	128
13-1342CSI	124	13-1354CSI	115	13-1376CSI	133
13-1342CSI-45	124	13-1354CSI-45	115	13-1376CSI-45	133
13-1342XPI	124	13-1354XPI	6, 115	13-1376XPI	8, 133
13-1342XPI-45	124	13-1354XPI-45	115	13-1376XPI-45	133
13-1343CSI	111	13-1355LLVLV	211	13-1377CSI	113
13-1343CSI-45	111	13-1356CS	104, 204	13-1377CSI-45	113
13-1343TI-EC	164	13-1356CS-45	104	13-1377XPI	113
13-1343XPI	111	13-1356XP	6, 7, 8, 9, 14, 15, 16, 17, 95	13-1377XPI-45	113
13-1343XPI-45	111	13-1356XP-45	10, 11, 95	13-1378CSI	117
13-1344CSI	108	13-1357CS	104	13-1378CSI-45	117
13-1344CSI-45	108	13-1357CS-45	104	13-1378XPI	117
13-1344XPI	108	13-1357XP	15, 16, 17, 95	13-1378XPI-45	117
13-1344XPI-45	108	13-1357XP-45	10, 95	13-1379CSI	110
13-1345CSI	139	13-1358AXDI	103, 204	13-1379CSI-45	110
13-1345CSI-45	139	13-1362SITI	103	13-1379XPI	110
13-1345XPI	139	13-1362SRI	103	13-1379XPI-45	110
13-1345XPI-45	139	13-1364SI	103	13-1380ADG	195
13-1346CSI	109	13-1366SI	103	13-1380ADG-45	195
13-1346CSI-45	109	13-1367CS	101, 169	13-1380CSI	129
13-1346XPI	109	13-1367FRIGELB	101	13-1380CSI-45	129
13-1346XPI-45	109	13-1367FRIGRUEN	101	13-1380DG	196
13-1347CSI	140	13-1367FRIROT	101		
13-1347CSI-45	140	13-1367RCFI	101		
13-1347XPI	140				

13-1380DG-45	196	13-1414CSI-45	120	13-1465CI-45	98
13-1380XPI	9, 129	13-1414XPI	120	13-1465CSI	106
13-1380XPI-45	129	13-1414XPI-45	120	13-1465CSI-45	106
13-1381ADG	195	13-1416CSI	118	13-1465XPI	106
13-1381ADG-45	195	13-1416CSI-45	118	13-1465XPI-45	106
13-1381CSI	129	13-1416XPI	118	13-1466CI	98, 107
13-1381CSI-45	129	13-1416XPI-45	118	13-1466CI-45	98, 107
13-1381DG	196	13-1417CSI	129	13-1466CSI	107
13-1381DG-45	196	13-1417CSI-45	129	13-1466CSI-45	107
13-1381XPI	8, 129	13-1417XPI	129	13-1466DDI	167
13-1381XPI-45	129	13-1417XPI-45	129	13-1466DDI-45	167
13-1382CSI	110	13-1418CSI	121	13-1466DDRH	171
13-1382CSI-45	110	13-1418CSI-45	121	13-1466XPI	107
13-1382XPI	110	13-1418XPI	121	13-1466XPI-45	107
13-1382XPI-45	110	13-1418XPI-45	121	13-1467CSI	107
13-1383TI-45EC	165	13-1419CSI	139	13-1467CSI-45	107
13-1383TI-EC	165	13-1419CSI-45	139	13-1467XPI	107
13-1384CS	102, 169	13-1419XPI	14, 16, 139	13-1467XPI-45	107
13-1384FRIGELB	102	13-1419XPI-45	139	13-1468CSI	108
13-1384FRIGRUEN	102	13-1421CSI	116	13-1468CSI-45	108
13-1384FRIROT	102	13-1421CSI-45	116	13-1468DDI	167
13-1384RCFI	102	13-1421XPI	116	13-1468DDI-45	167
13-1384TI-45EC	165	13-1421XPI-45	116	13-1468TI-EC	164
13-1384TI-EC	165	13-1422CSI	140	13-1468XPI	108
13-1388CSI	144	13-1422CSI-45	140	13-1468XPI-45	108
13-1388CSI-45	144	13-1422XPI	14, 140	13-1469TI-EC	163
13-1388XPI	144	13-1422XPI-45	140	13-1470CSI	142
13-1388XPI-45	144	13-1431CSI	109	13-1470CSI-45	142
13-1409CSI	117	13-1431CSI-45	109	13-1470XPI	142
13-1409CSI-45	117	13-1431XPI	7, 9, 17, 109	13-1470XPI-45	142
13-1409XPI	117	13-1431XPI-45	11, 109	13-1475CSI	142
13-1409XPI-45	117	13-1460CI	97, 106	13-1475CSI-45	142
13-1411CSI	138	13-1460CI-45	97, 106	13-1475XPI	142
13-1411CSI-45	138	13-1460CSI	106	13-1475XPI-45	142
13-1411XPI	138	13-1460CSI-45	106	13-1480CSI	143
13-1411XPI-45	10, 138	13-1460XPI	106	13-1480CSI-45	143
13-1412CSI	138	13-1460XPI-45	106	13-1480XPI	143
13-1412CSI-45	138	13-1461CI	7, 9, 15, 17, 97,	13-1480XPI-45	143
13-1412XPI	138		106	13-1485CSI	143
13-1412XPI-45	138	13-1461CI-45	11, 97, 106	13-1485CSI-45	143
13-1413CSI	119	13-1461CSI	106	13-1485XPI	143
13-1413CSI-45	119	13-1461CSI-45	106	13-1485XPI-45	143
13-1413XPI	119	13-1461XPI	106	13-1490CSI	144
13-1413XPI-45	119	13-1461XPI-45	106	13-1490CSI-45	144
13-1414CSI	120	13-1465CI	98	13-1490XPI	144

13-1490XPI-45	144	13-1543CSI	126	13-1571CSI-45	111
13-1510CSI	122	13-1543CSI-45	126	13-1571XPI	111
13-1510CSI-45	122	13-1543XPI	126	13-1571XPI-45	111
13-1510XPI	122	13-1543XPI-45	126	13-1580CSI	127
13-1510XPI-45	122	13-1544CSI	127	13-1580CSI-45	127
13-1515CSI	122	13-1544CSI-45	127	13-1580XPI	127
13-1515CSI-45	122	13-1544XPI	127	13-1580XPI-45	10, 127
13-1515XPI	122	13-1544XPI-45	10, 127	13-1585CSI	128
13-1515XPI-45	122	13-1545CSI	127	13-1585CSI-45	128
13-1520CSI	124	13-1545CSI-45	127	13-1585XPI	128
13-1520CSI-45	124	13-1545XPI	127	13-1585XPI-45	128
13-1520XPI	124	13-1545XPI-45	127	13-1590CSI	141, 204
13-1520XPI-45	124	13-1546CSI	130	13-1590CSI-45	141
13-1525CSI	124	13-1546CSI-45	130	13-1590ETSFU	204
13-1525CSI-45	124	13-1546XPI	130	13-1590ETSFU-45	204
13-1525XPI	124	13-1546XPI-45	130	13-1590PSFU	15,200
13-1525XPI-45	124	13-1547CSI	130	13-1590PSFU-45	200
13-1530CSI	122	13-1547CSI-45	130	13-1590XPI	141
13-1530CSI-45	122	13-1547XPI	130	13-1590XPI-45	141
13-1530XPI	122	13-1547XPI-45	130	13-1591ET	203
13-1530XPI-45	122	13-1548CSI	130	13-1591ET-45	203
13-1535CSI	123	13-1548CSI-45	130	13-1591P	15, 199
13-1535CSI-45	123	13-1548XPI	130	13-1591P-45	199
13-1535XPI	123	13-1548XPI-45	130	13-1593ET	203
13-1535XPI-45	123	13-1550CSI	134	13-1593ET-45	203
13-1536CSI	131	13-1550CSI-45	134	13-1593P	7, 18, 199
13-1536CSI-45	131	13-1550XPI	134	13-1593P-45	12, 199
13-1536XPI	131	13-1550XPI-45	134	13-1594ET	203
13-1536XPI-45	131	13-1555CSI	134	13-1594ET-45	203
13-1537CSI	132	13-1555CSI-45	134	13-1594P	7, 18, 199
13-1537CSI-45	132	13-1555XPI	134	13-1594P-45	12, 199
13-1537XPI	16, 132	13-1555XPI-45	134	13-1595CSI	142
13-1537XPI-45	132	13-1560CSI	134	13-1595CSI-45	142
13-1540CSI	125	13-1560CSI-45	134	13-1595XPI	142
13-1540CSI-45	125	13-1560XPI	134	13-1595XPI-45	142
13-1540XPI	125	13-1560XPI-45	134	13-1599A	212
13-1540XPI-45	125	13-1565CSI	135	13-1599A-45	212
13-1541CSI	126	13-1565CSI-45	135	13-1600CSI	114
13-1541CSI-45	126	13-1565XPI	135	13-1600CSI-45	114
13-1541XPI	126	13-1565XPI-45	135	13-1600XPI	114
13-1541XPI-45	126	13-1570CSI	135	13-1600XPI-45	114
13-1542CSI	126	13-1570CSI-45	135	13-1605CSI	131
13-1542CSI-45	126	13-1570XPI	135	13-1605CSI-45	131
13-1542XPI	126	13-1570XPI-45	135	13-1605XPI	17, 131
13-1542XPI-45	126	13-1571CSI	111	13-1605XPI-45	131

13-1606CSI	131	13-1641	7, 12, 15, 18, 21, 23,	13-1667L-45	208
13-1606CSI-45	131		216	13-1667R	208
13-1606XPI	16, 131	13-1641-5	216	13-1667R-45	208
13-1606XPI-45	131	13-1641-5BPW	216	13-1668	210
13-1610A	187	13-1641BPW	216	13-1668-10	11, 210
13-1610AS	187	13-1642IWO	182	13-1668-10-45	11, 210
13-1613	189	13-1642IWO-45	182	13-1669	210
13-1613-102	189	13-1643	216	13-1670	209
13-1613-103	189	13-1643BPW	216	13-1671	209
13-1613-104	189	13-1644	216	13-1671-45	209
13-1613-105A	187	13-1644BPW	216	13-1671S	210
13-1613-105AS	187	13-1645IWO	183	13-1672	209
13-1613-106A	187	13-1645IWO-45	183	13-1672-45	209
13-1613-106AS	187	13-1646SI	183	13-1672S	210
13-1613-106AS-P	191	13-1647SI	183	13-1675	209
13-1613-108AS-P	191	13-1650CSI	109	13-1675-45	209
13-1613PR	191	13-1650CSI-45	109	13-1677	209
13-1615A	187	13-1650XPI	109	13-1699	35
13-1615AS	7, 12, 187	13-1650XPI-45	109	13-1699A	35
13-1615AS-P	191	13-1655CSI	108	13-1699B	35
13-1615PR	191	13-1655CSI-45	108	13-1700R	7, 15, 17, 179
13-1617	17, 212	13-1655XPI	108	13-1700R-45	11, 179
13-1617-3	212	13-1655XPI-45	108	13-1700SI	7, 11, 15, 17, 179
13-1617-45	212	13-1660CSI	144	13-1701I	7, 15, 17, 175
13-1617SL	212	13-1660CSI-45	144	13-1701I-45	11, 175
13-1617SL-45	212	13-1660XPI	15, 17, 144	13-1702I	7, 17, 175
13-1618	213	13-1660XPI-45	144	13-1702I-45	11, 175
13-1618OV	213	13-1661	208	13-1703I	7, 175
13-1618TR	213	13-1662	208	13-1703I-45	11, 175
13-1619	211	13-1663	208	13-1704I	176
13-1619-3	23, 211	13-1664L	209	13-1704I-45	176
13-1619-19G	211	13-1664R	209	13-1705I	176
13-1619-26	211	13-1665	207	13-1705I-45	176
13-1619-45	211	13-1665-6	207	13-1706I	17, 176
13-1619-45-19G	211	13-1665-6-45	207	13-1706I-45	176
13-1630IWO	181	13-1665-45	207	13-1707I	177
13-1630IWO-45	181	13-1666	207	13-1707I-45	177
13-1633IWO	181	13-1666-6	207	13-1708I	177
13-1633IWO-45	181	13-1666-6-45	207	13-1708I-45	177
13-1634IWO	181	13-1666-12	207	13-1709I	177
13-1634IWO-45	181	13-1666-12-45	207	13-1709I-45	177
13-1635IWO	182	13-1666-45	207	18-2356	18
13-1635IWO-45	182	13-1667	208	18-2356-100	18
13-1640IWO	182	13-1667-45	208	18-2356-200	18
13-1640IWO-45	182	13-1667L	208	18-2356-500	18

18-2356-600	18	23-3025XPI-20	152	23-3045XPI-20	151
23-3000BP	21, 23, 178	23-3026AX	204	23-3050XPI	158
23-3000CI	98	23-3026AX-20	204	23-3050XPI-20	158
23-3000CI-20	98	23-3026P	200	23-3051XPI	158
23-3000DDI	168	23-3026P-20	200	23-3051XPI-20	158
23-3000XPI	22, 148	23-3026XPI	157	23-3053XPI	158
23-3000XPI-20	20, 148	23-3026XPI-20	157	23-3053XPI-20	158
23-3001XPI	23, 148	23-3027AX	205	23-3055XPI	154
23-3001XPI-20	20, 148	23-3027AX-20	205	23-3055XPI-20	154
23-3002XPI	156	23-3027P	23, 200	23-3056XPI	155
23-3002XPI-20	156	23-3027P-20	21, 200	23-3056XPI-20	155
23-3005CI	99	23-3027XPI	157	23-3065	73
23-3005CI-20	99	23-3027XPI-20	157	23-3065-20	73
23-3005XPI	147	23-3028AX	205	23-3066	73
23-3005XPI-20	147	23-3028AX-20	205	23-3066-20	73
23-3007XPI	147	23-3028P	23, 201	23-3070	23, 74
23-3007XPI-20	147	23-3028P-20	21, 201	23-3070-20	21, 74
23-3010CI	99	23-3028XPI	157	23-3075	74
23-3010CI-20	99	23-3028XPI-20	157	23-3075-20	74
23-3010XPI	147	23-3030XPI	151	23-3082BP	21, 23, 178
23-3010XPI-20	147	23-3030XPI-20	151	23-3082DDI	169
23-3015XPI	22, 150	23-3032XPI	151	23-3082XPI	22, 148
23-3015XPI-20	20, 150	23-3032XPI-20	151	23-3082XPI-20	20, 148
23-3017XPI	150	23-3035XPI	154	23-3084	33, 45, 52
23-3017XPI-20	150	23-3035XPI-20	154	23-3086	20, 22, 33, 45, 52
23-3019XPI	153	23-3037XPI	156	23-3088XPI	149
23-3019XPI-20	153	23-3037XPI-20	156	23-3088XPI-20	149
23-3020XPI	23, 153	23-3038XPI	152	23-3089XPI	149
23-3020XPI-20	20, 153	23-3038XPI-20	152	23-3089XPI-20	149
23-3021	20, 22, 45, 52	23-3039XPI	152	23-3090	21, 23, 179
23-3021BL	45, 52	23-3039XPI-20	152	23-3091	21, 23, 179
23-3022	45, 52	23-3040XPI	153	23-3092XPI	23, 149
23-3022BL	45, 52	23-3040XPI-20	153	23-3092XPI-20	21, 149
23-3023XPI	156	23-3041XPI	154	23-3093XPI	155
23-3023XPI-20	156	23-3041XPI-20	154	23-3093XPI-20	155
23-3025BP	21, 23, 178	23-3042XPI	150	23-3094XPI	155
23-3025DDI	169	23-3042XPI-20	150	23-3094XPI-20	155
23-3025XPI	152	23-3045XPI	151	AI74CML6	7, 12

¹Any companies mentioned in this catalogue including their brand names and related products are protected under intellectual property laws. The use of them does not imply any affiliation with or endorsement by them.

²Specifications, design and accessories in this catalogue are subject to change without any notice or obligation on the part of the manufacturer.



www.ackermannsurgical.com



Ackermann Instrumente GmbH
Eisenbahnstrasse 65-67
78604 Rietheim-Weilheim, Germany