



Bio Signal Total Solution

Fetal Monitor
Fetal & Vascular Doppler
Patient Monitor
Infant Incubator
Infant Warmer
Phototherapy
Breast Pump
Thermometer
Head Lamp

 **bistos**

Fetal Monitor



BT-380 Fetal & Maternal Monitor

- 1MHz Frequency with Twin Doppler
- 10.1" Color Touch Screen
- Fetal Monitoring : FHR, UC, DECG
Maternal Monitoring : ECG, NIBP, SpO2, TEMP
- Option: DECG, Rechargeable battery, Acoustic Stimulator, Wifi, Cart

BT-350 LCD Fetal Monitor

- 1MHz Frequency with Twin Doppler
- 7" color TFT LCD Display
- CTG Analysis
- Option : Rechargeable battery, Acoustic Stimulator, Carrying bag, Cart



BT-350 LED Fetal Monitor

- 1MHz Frequency with Twin Doppler
- Large 7 Segment LED Display
- Waterproof Probe (IPX 8)
- Option : Rechargeable battery, Acoustic Stimulator, Carrying bag, Cart

BT-300 LED Fetal Monitor

- 1MHz Frequency with Twin Doppler
- Waterproof Probe (IPX 8)
- Option : Rechargeable battery, Acoustic Stimulator, Carrying bag, Cart



Fetal & Vascular Doppler

BT-200 Fetal Doppler

- 2/3 MHz Frequency
- Various Display Type (Sound only, LCD, Color)
- Waterproof Probe
- FHR and Sound management



BT-220 Fetal Doppler

- 2/3 MHz Frequency
- 2.4" Color LCD Display with FHR Trend Display
- Acoustic Stimulator Function
- BMI and Body fat Analysis



BT-250 Fetal Doppler

- 2/3 MHz Frequency
- 3.2" color TFT LCD Display with FHR Trend Display
- Rechargeable Battery




BT-200 Vascular Doppler

- 2, 4, 5, 8 MHz Frequency
- LCD Display
- Interchangeable Waterproof Probe
- Low Battery Indicator

Patient Monitor

BT-780 Patient Monitor

- ECG, Resp., SpO2, NIBP, Temp., CO₂, IBP, Multi-gas, C.O.
- 15.6" Color Touch Screen
- Ultra slim design
- 5 hours operation on battery
- Smart Hook & stand
- HL 7 support
- Option : CO₂, IBP, Multi-gas, C.O., Printer, Masimo SpO2, WIFI



BT-770 Patient Monitor

- ECG, Resp., SpO2, NIBP, Temp., CO₂, IBP, Multi-gas, C.O.
- 12.1" Color Touch Screen
- Ultra slim design
- 5 hours operation on battery
- Smart Hook & stand
- HL 7 support
- Option : CO₂, IBP, Multi-gas, C.O., Printer, Masimo SpO2, WIFI





BT-740 Patient Monitor

- ECG, Resp., SpO2, NIBP, Temp., CO₂, IBP, Multi-gas, C.O.
- 8.4" Color Touch Screen
- Ultra slim design
- 6 hours operation on battery
- Smart Hook & stand
- HL 7 support
- Option : CO₂, IBP, Multi-gas, CO, Printer, Masimo SpO2, WIFI

BT-720 Vital Sign Monitor

- SpO2, Pulse
- 4.3" Color Touch Screen
- 8 hours operation on battery
- Fan-less design
- Rechargeable by USB charger
- Option : NIBP, Temp



BT-710 Pulse Oximeter

- SpO2, Pulse
- Hand-held design
- 4.3" Color Touch Screen
- 8 hours operation on battery
- Fan-less design
- Rechargeable by USB charger
- Option : CO₂



BT-750 Patient Monitor

- ECG, Resp., SpO2, NIBP, Temp., CO₂, IBP
- 10.4" Color LCD Display
- 4 hours operation on battery
- Multi language support
- Option : CO₂, IBP, Printer, LAN, Cart, Wall mount

Neonate Care



BT-500 Infant Incubator

- Air / Skin Temperature servo control
- Humidity Servo Control
- Tilting bed
- Option : O2 Servo Control, O2 Monitoring, Masimo SpO2 & CCD Camera & External monitor, Lifting Stand, Weighing scale, Basket, IV Plate, IV Pole, Shelf

BT-550 Infant Warmer

- Infrared Heater
- Pre-warm / Baby / Manual Mode
- APGAR Timer
- Option : Tilting, Masimo SpO2, Lifting Stand, Weighing scale, Basket, IV Plate, IV Pole, Oxygen delivery, Suction



BT-400 Phototherapy

- Blue LED Lamp
- Intensity Control (High/Low)
- 100,000 hours LED lifetime
- Timer function

BT-450 Phototherapy

- Blue LED (455 nm to 465 nm)
- Intensity Control (High/Low)
- Blanket Type
- 10 hours operation on battery
- Alarm for High Temperature



BT-100 Breast Pump

- Portable Type with Dual Pumping
- Massage / Expression / Memory Mode
- Backflow Prevention
- BPA / Latex Free



BT-150 Breast Pump

- Desktop Type with Dual Pumping
- Massage / Expression / Program Mode
- Various Vacuum Level and Cycle Control
- Option : Carrying bag, Car charging cable, Nursing Night Lamp, Additional bottle set, Rechargeable battery, Bluetooth for mobile app

Non-Contact Thermometer

- Fever Alert Function (Blue/Red Color)
- Measurement of Body and Object
- Protective Cap for Sensor (BT-35)
- Faster Measurement Time (BT-36)



BT-35 (Grey)

BT-35 (Green)

BT-36



BT-410A



BT-410F

BT-410 Head Lamp

- Power LED Light with 6,000K Color Temperature
- Adjustable illumination (BT-410F)
- Adjustable Light Spot (BT-410A)
- Option: Loupe, Astral Lamp, Additional battery

BIO SIGNAL TOTAL SOLUTION

Bistos Co., Ltd. (Headquarter)

7th Fl., A Bldg., Woolim Lions Valley 5-cha, 302,
Galmachi-ro, Jungwon-gu, Seongnam-si,
Gyeonggi-do, Korea

Tel. +82 (31) 750 0340

Fax. +82 (31) 750 0344



bistos@bistos.co.kr

www.bistos.co.kr

Bistos America Inc. (US Branch)

22941, Triton Way, Suite #242, Laguna hills, CA., USA 92653

Tel. +1-949-614-8745

Fax. +1-949-614-8745

Site. www.bistosamerica.com

E-mail. info@bistosamericainc.com